

AMENITY FACILITY ENGINEERING REPORT

POINCIANA COMMUNITY DEVELOPMENT DISTRICT

Prepared for:

**Poinciana Community Development District
313 Campus Street
Celebration, Florida 34747**

Prepared by:

ATKINS

**482 South Keller Road
Orlando, Florida 32810**

December 13, 2017

TABLE OF CONTENTS

	<u>Page</u>
LIST OF TABLES	ii
LIST OF FIGURES	ii
APPENDICES	ii
Section 1 INTRODUCTION	1-1
1.1 INTRODUCTION	1-1
Section 2 THE DEVELOPMENT DESCRIPTION	2-1
2.1 GENERAL	2-1
Section 3 DISTRICT AMENITY FACILITIES	3-1
3.1 GENERAL	3-1
3.2 EXISTING AMENITY FACILITIES	3-2
3.2.1 #1 Riviera Spa & Fitness Center/Indoor Pool & Track	3-4
3.2.2 #2 Waterfront Galleries/Café	3-6
3.2.3 #3 Mosaics Restaurant & Starlight Ballroom	3-8
3.2.4 #4 Bell Tower	3-10
3.2.5 #5 Freedom Park	3-11
3.2.6 #6 Palms Amenity Complex	3-12
3.2.7 #7 Rainbow Lakes #1 Community Pool & Cabana	3-14
3.2.8 #8 Rainbow Lakes #2 Community Pool & Cabana	3-15
3.2.9 #9 Candlewood Community Pool & Cabana	3-16
3.2.10 #10 Capri Community Pool & Cabana	3-17
3.2.11 #11 Terra Vista #1 Community Pool & Cabana	3-18
3.2.12 #12 Terra Vista #2 Community Pool & Cabana	3-19
3.2.13 #13 Flora Vista #1 Community Pool & Cabana	3-20
3.2.14 #14 Flora Vista #2 Community Pool & Cabana	3-21
3.2.15 #15 Lago Vista Community Pool & Cabana	3-22
3.2.16 #16 Venezia Facility	3-23
3.2.17 #17 Bella Viana Pool and Cabana	3-24
3.3 POTENTIAL NEW CAPITAL FACILITIES	3-25
3.3.1 #1 Reconstructed Waterfront Galleries/Café	3-27
3.3.2 #2 Reconstructed Mosaics Restaurant & Starlight Ballroom	3-29
3.3.3 #3 New Performing Arts Building	3-31
3.3.4 #4 New Health and Fitness Center	3-33
Section 4 ENGINEER'S CERTIFICATION	4-1
4.1 ENGINEER'S CERTIFICATION	4-1

LIST OF TABLES

<u>Table</u>	<u>Title</u>	<u>Page</u>
Table 1 - ABSORPTION SCHEDULE – PCDD AND PWCDD.....		2-1
Table 2 –PROPOSED IMPROVEMENTS COSTS SUMMARY TABLE.....		3-1

LIST OF FIGURES

<u>Figure</u>	<u>Title</u>	<u>Page</u>
Figure 1 – LOCATION MAP		1-2
Figure 2 – SOLIVITA MASTER PLAN		1-3
Figure 3 - OVERALL MASTER PLAN WITH FACILITIES		3-3
Figure 4 - OVERALL CAPITAL IMPROVEMENTS EXHIBIT		4-26

APPENDICES

APPENDIX A – SURVEYS	A-1
Village Center Surveys	A-2
Palms Amenity Complex	A-3
Rainbow Lakes #1 Community Pool & Cabana	A-4
Rainbow Lakes #2 Community Pool & Cabana	A-5
Candlewood Community Pool & Cabana	A-6
Capri Community Pool & Cabana	A-7
Terra Vista #1 Community Pool & Cabana	A-8
Terra Vista #2 Community Pool & Cabana	A-9
Flora Vista #1 Community Pool & Cabana	A-10
Flora Vista #2 Community Pool & Cabana	A-11
Lago Vista Community Pool & Cabana	A-12
Venezia Facility/Two (2) Tennis Courts, Community Pool & Cabana.....	A-13
Bella Vianna Pool & Cabana	A-14
Solivita Club Phase 5 Proposed	A-15
Appendix B – Opinion of Costs	B-1
Appendix C – Solivita Fitness Sample Renderings	C-1

Section 1

INTRODUCTION

1.1 INTRODUCTION


Solivita is a planned mixed-use development in northeast Polk County along the Polk and Osceola County border. Solivita is a self-contained portion of the overall Poinciana Planned Development in Osceola and Polk Counties, which was master-planned in the 1970s and has been under continuous development since. There are over 50,000 residents now living in Poinciana. Location map shown in Figure 1-1.

Solivita is being developed as an active adult community consisting of single- and multi-family dwellings, a town center, golf course, and numerous parks and recreation facilities. Solivita is comprised of two villages; i.e., Solivita and Solivita West. Solivita is being constructed in several phases spanning approximately 15 years. Future phases of Solivita are owned by Avatar Properties, Inc., the Developer. The current Solivita Master Plan is illustrated in Figure 1-2.

Solivita has 4,187.56 acres and is comprised of two separate and distinct Community Development Districts, namely, Poinciana Community Development District or PCDD (3,240.65 acres) and Poinciana West Community Development District or PWCDD (949 acres). The PCDD was established November 1, 1999 and the PWCDD was established October 6, 2006 by rule of the Florida Land and Water Adjudicatory Commission and Polk County, Florida, respectively pursuant to the provisions of Chapter 190, Florida Statutes. These CDD's provides an efficient mechanism for managing and financing the public infrastructure associated with the planning and development of Solivita.

A proposed interlocal agreement between the PCDD and PWCDD gives the ability to the PCDD to act on behalf of both districts as it relates to the acquisition, management and development of recreational facilities. It is proposed that certain recreational facilities will be acquired by the PCDD from the developer, Avatar Properties, Inc. Through the interlocal agreement between the PCDD and PWCDD and funded by proposed bonds, the PCDD is acquiring recreational facilities within the PCDD and PWCDD boundaries and proposing additional capital improvements.

This Engineering Report provides a general description of the existing infrastructure to be acquired by the PCDD. It also provides a general description of the proposed capital improvements to the project.



7-13-16

OSCEOLA COUNTY
POLK COUNTY

CYPRESS PARKWAY

CYPRESS PARKWAY

SOLIVITA EAST
GOLF MAINTENANCE
FACILITY

SOLIVITA EAST
(PHASE 6A
& PHASE 6B)

BELLA
VIANA

PHASE
6A

PHASE
6B

PHASE 3A

PHASE 3
VENEZIA

PHASE 3B

PHASE 2C
TERRA VISTA

PHASE 2B
CANDLEWOOD

PHASE 2A
CANDLEWOOD

PHASE 4A
PORTOFINO

PHASE 5F

PHASE 1E
LAGO VISTA

PHASE 1D
BELLA VISTA

PHASE 1H

PHASE 1G

PHASE 1F

PHASE 1C

PHASE 1B

PHASE 1A

PHASE 1

PHASE 1

PHASE 1

PHASE 1

PHASE 1

PHASE 1

PHASE 1

PHASE 1

PHASE 1

PHASE 1

PHASE 1

PHASE 1

PHASE 1

PHASE 1

PHASE 1

PHASE 1

PHASE 1

PHASE 1


PHASE 1

PHASE 1

West	Building Setback Matrix
Phase	Setback
1A	10'
1B	10'
1C	10'
1D	10'
1E	10'
1F	10'
1G	10'
1H	10'
1I	10'
1J	10'
1K	10'
1L	10'
1M	10'
1N	10'
1O	10'
1P	10'
1Q	10'
1R	10'
1S	10'
1T	10'
1U	10'
1V	10'
1W	10'
1X	10'
1Y	10'
1Z	10'

Construction Plan Approval	Plat Submittal	Neighborhood Name	Community Number
PHASE 1	PHASE 1	Rainbow Lakes	24110000
PHASE 1D	PHASE 1D	Bella Vista	24220000
PHASE 1C	PHASE 1C	Trevino	24230000
PHASE 1E	PHASE 1E	Lago Vista	24240000
PHASE 1F	PHASE 1F	Trevino	24250000
PHASE 1G	PHASE 1G	Future Development	24260000
PHASE 1H	PHASE 1H	Model Park	24270000
PHASE 1I	PHASE 1I	Model Park	24280000
PHASE 2A	PHASE 2A	Candlewood	24290000
PHASE 2B	PHASE 2B	Candlewood	24300000
PHASE 2C	PHASE 2C	Terra Vista	24310000
PHASE 2D	PHASE 2D	Terra Vista	24320000
PHASE 3	PHASE 3	Venezia	24330000
PHASE 3A	PHASE 3A	Venezia	24340000
PHASE 3B	PHASE 3B	Venezia	24350000
PHASE 3C	PHASE 3C	Venezia	24360000
PHASE 3D	PHASE 3D	Venezia	24370000
PHASE 3E	PHASE 3E	Venezia	24380000
PHASE 3F	PHASE 3F	Venezia	24390000
PHASE 3G	PHASE 3G	Venezia	24400000
PHASE 3H	PHASE 3H	Venezia	24410000
PHASE 3I	PHASE 3I	Venezia	24420000
PHASE 3J	PHASE 3J	Venezia	24430000
PHASE 3K	PHASE 3K	Venezia	24440000
PHASE 3L	PHASE 3L	Venezia	24450000
PHASE 3M	PHASE 3M	Venezia	24460000
PHASE 3N	PHASE 3N	Venezia	24470000
PHASE 3O	PHASE 3O	Venezia	24480000
PHASE 3P	PHASE 3P	Venezia	24490000
PHASE 3Q	PHASE 3Q	Venezia	24500000
PHASE 3R	PHASE 3R	Venezia	24510000
PHASE 3S	PHASE 3S	Venezia	24520000
PHASE 3T	PHASE 3T	Venezia	24530000
PHASE 3U	PHASE 3U	Venezia	24540000
PHASE 3V	PHASE 3V	Venezia	24550000
PHASE 3W	PHASE 3W	Venezia	24560000
PHASE 3X	PHASE 3X	Venezia	24570000
PHASE 3Y	PHASE 3Y	Venezia	24580000
PHASE 3Z	PHASE 3Z	Venezia	24590000
PHASE 4A	PHASE 4A	Portofino	24600000
PHASE 4B	PHASE 4B	Portofino	24610000
PHASE 4C	PHASE 4C	Portofino	24620000
PHASE 4D	PHASE 4D	Portofino	24630000
PHASE 4E	PHASE 4E	Portofino	24640000
PHASE 4F	PHASE 4F	Portofino	24650000
PHASE 4G	PHASE 4G	Portofino	24660000
PHASE 4H	PHASE 4H	Portofino	24670000
PHASE 4I	PHASE 4I	Portofino	24680000
PHASE 4J	PHASE 4J	Portofino	24690000
PHASE 4K	PHASE 4K	Portofino	24700000
PHASE 4L	PHASE 4L	Portofino	24710000
PHASE 4M	PHASE 4M	Portofino	24720000
PHASE 4N	PHASE 4N	Portofino	24730000
PHASE 4O	PHASE 4O	Portofino	24740000
PHASE 4P	PHASE 4P	Portofino	24750000
PHASE 4Q	PHASE 4Q	Portofino	24760000
PHASE 4R	PHASE 4R	Portofino	24770000
PHASE 4S	PHASE 4S	Portofino	24780000
PHASE 4T	PHASE 4T	Portofino	24790000
PHASE 4U	PHASE 4U	Portofino	24800000
PHASE 4V	PHASE 4V	Portofino	24810000
PHASE 4W	PHASE 4W	Portofino	24820000
PHASE 4X	PHASE 4X	Portofino	24830000
PHASE 4Y	PHASE 4Y	Portofino	24840000
PHASE 4Z	PHASE 4Z	Portofino	24850000
PHASE 5A	PHASE 5A	Future Development	24860000
PHASE 5B	PHASE 5B	Future Development	24870000
PHASE 5C	PHASE 5C	Future Development	24880000
PHASE 5D	PHASE 5D	Future Development	24890000
PHASE 5E	PHASE 5E	Future Development	24900000
PHASE 5F	PHASE 5F	Future Development	24910000
PHASE 5G	PHASE 5G	Future Development	24920000
PHASE 5H	PHASE 5H	Future Development	24930000
PHASE 5I	PHASE 5I	Future Development	24940000
PHASE 5J	PHASE 5J	Future Development	24950000

NOTE: LOTS 165-234 OF THE PHASE 4C SECTION 2 PLAT WAS RENAMED BY THE AVATAR SALES DEPT. TO BE PHASE 4D (NOT PLATTED AS PHASE 4D)



Section 2

THE DEVELOPMENT DESCRIPTION

2.1 GENERAL

The PCDD, pursuant to the provisions of Chapter 190, Florida Statutes, was established by rule of the Florida Land and Water Adjudicatory Commission effective November 1, 1999. The PCDD consists of, after the 2008 boundary amendment, approximately 3,240 acres; and the PWCDD, likewise established on October 6, 2006 consists of 949 acres. The lot development schedule for the land within the PCDD and PWCDD are provided in Table 2-1 and Table 2-2. All future lot development assumptions were provided by the developer.

The portion of Solivita within the PCDD and PWCDD consists of several villages inspired by community based design principles and includes single and multi-family residences, central community recreation complex, neighborhood recreation areas, commercial town center area, golf course and various biking and pedestrian trails. The master plan for the remaining phases is shown on Figure 1-2. In general, the development program within the community consists of approximately 5,589 residential units, an 18-hole golf courses and other non-residential space.

Table 1 - ABSORPTION SCHEDULE – PCDD AND PWCDD

Solivita Clubhouse Income Statement - Sale of Assets At 12/31/16								
	2017	2018	2019	2020	2021	2022	2023	2024
Lots Owned by Avatar Properties, Inc.	1116	878	636	422	212	-	-	-
Prospected Sales	215	238	242	214	210	212	-	-
PCDD	115	137	171	214	210	212	-	-
PWCDD	100	101	71	-	-	-	-	-

(1) Year 2023 – 5,589 total closings by developer

Section 3
DISTRICT AMENITY FACILITIES

3.1 GENERAL

As noted previously, the PCDD is acquiring existing community amenity facilities as well as obtaining financing to make improvements with new recreational facilities within the district. The initial gross purchase price is \$72.9 million to transfer the existing community amenity facilities listed in the purchase and sale agreement. As part of the transfer, the PCDD is acquiring personal property within the existing facilities. An inventory of personal property is available in the public record.

Additionally, the PCDD is seeking financing for \$11.2 million in additional capital improvements within the community. Table 2 below is a summary of the estimated costs associated with the proposed improvements. A more detailed opinion of costs is provided in Appendix B – Opinion of Costs. The following sections identify the existing facilities to be acquired and the proposed improvements.

Table 2 –PROPOSED IMPROVEMENTS COSTS SUMMARY TABLE

Opinion of Costs
Solivita Proposed Improvements

Facility	Approximate Cost
Proposed Performing Arts Building	\$ 6,960,000
Proposed Health and Wellness Complex (Phase 5)	\$ 3,120,000
Reconstructed Mosaics Restaurant and Starlight Ballroom	\$ 1,190,000
Reconstructed Waterfront Café and Arts and Crafts REMODEL	\$ 660,000
Sub-total	\$ 11,930,000
20% Contingency and other Soft Costs	\$ 2,386,000
Sub-total	\$ 14,316,000

1. The CDD Boards have not yet approved any specific construction or reconstruction activities.
2. It is currently proposed that \$11.2 million from the proceeds of the Special Assessment Bonds will fund the construction and/or reconstruction of all or a portion of the improvements listed above. It is anticipated that the CDD Boards will continue to refine both the components comprising the improvements to be funded with the Special Assessment Bonds and the cost estimates set forth above.

3.2 EXISTING AMENITY FACILITIES

A total of 17 existing facilities will be acquired from Avatar Properties, Inc.. The facilities were timed in phases with the development and were constructed from 2001-2009. Surveys for the properties are included in Appendix A. Inspections for each of the properties is documented in a Property Condition Assessment, prepared by Delta Engineering & Inspections, Inc., available in public record.

These facilities include:

1. Rivera Spa & Fitness Center/Indoor Pool & Track
2. Waterfront Galleries/Café
3. Mosaics Restaurant & Starlite Ballroom
4. 65' Bell Tower
5. Freedom Park
6. Palms Amenity Complex
7. Rainbow Lakes #1 Community Pool & Cabana
8. Rainbow Lakes #2 Community Pool & Cabana
9. Candlewood Community Pool & Cabana
10. Capri Community Pool & Cabana
11. Terra Vista #1 Community Pool & Cabana
12. Terra Vista #2 Community Pool & Cabana
13. Flora Vista #1 Community Pool & Cabana
14. Flora Vista #2 Community Pool & Cabana
15. Lago Vista Community Pool & Cabana
16. Venezia Facility/Two (2) Tennis Courts, Community Pool & Cabana
17. Bella Vianna Pool & Cabana



- Legend
- 1 Sales Center and Administration
(not included in asset sale)
 - 2 Riviera Spa and Fitness
 - 3 Waterfront Café and Arts and Crafts
 - 4 Golf Cart Storage (not included in asset sale)
 - 5 Mosaics Restaurant and Starlight Ballroom
 - 6 Stonegate Grille and Proshop
(not included in asset sale)
 - 7 65 ft Bell Tower
 - 8 Freedom Park
 - 9 Palms Amenity Complex
 - 10 Rainbow Lake Amenity #1
 - 11 Rainbow Lake Amenity #2
 - 12 Candlewood Amenity
 - 13 Capri Amenity
 - 14 Terra Vista Amenity #1
 - 15 Terra Vista Amenity #2
 - 16 Flora Vista Amenity #1
 - 17 Flora Vista Amenity #2
 - 18 Lago Vista Amenity
 - 19 Venezia Amenity
 - 20 Bella Viana Amenity

Master
Development Plan



Existing Solivita Club Assets
AV Homes
Solivita, Florida

SOLIVITA



3.2.1 #1 Riviera Spa & Fitness Center/Indoor Pool & Track

The Riviera Spa & Fitness Center is located within the Village portion of the community. The building is a two story slab on grade structure comprised of various concrete and steel structural systems, stucco exterior finishes, stone veneer accents, a mixed roof system, and roof mounted HVAC systems. Indoor facilities include a fitness center with multiple rooms, an indoor pool, an indoor track, and associated support rooms and facilities. Personal property included within the existing site is part of the acquisition. Exterior facilities include an outdoor pool, an outdoor hot tub, outdoor pool deck areas, outdoor patios, pergolas, sidewalks, and landscaping.

Riviera Spa & Fitness Center Aerial



Riviera Spa & Fitness Center Floor Plan




3.2.2 #2 Waterfront Galleries/Café

The Waterfront Galleries/Café is located within the Village portion of the community. The building is a two story slab on grade structure comprised of various concrete and steel structural systems, stucco exterior finishes, stone veneer accents, a hip-gable roof system, and ground mounted HVAC systems. Indoor facilities include a café with kitchen, a library, an arts and crafts room, meeting spaces, offices, and associated support rooms and facilities. Personal property included within the existing site is part of the acquisition. Exterior facilities include an outdoor waterfront patio area, an outdoor seating area, sidewalks, and landscaping.

Waterfront Galleries/Café Aerial



Waterfront Galleries/Café Floor Plan




3.2.3 #3 Mosaics Restaurant & Starlight Ballroom

The Mosaics Restaurant & Starlight Ballroom is located within the Village portion of the community. The building is a two story slab on grade structure comprised of various concrete and steel structural systems, stucco exterior finishes, stone veneer accents, a mixed roof system, and roof mounted HVAC systems. Indoor facilities include a commercial kitchen, restaurant seating area, restrooms, covered patio seating, lobby areas, ballroom space, and associated support rooms and facilities. Personal property included within the existing site is part of the acquisition. Exterior facilities include sidewalks and landscaping.

Mosaics Restaurant & Starlight Ballroom Aerial



Mosaics Restaurant & Starlight Ballroom Plan



3.2.4 **#4 Bell Tower**

The Bell Tower is located within the Village portion of the community. The building is a 65 ft. tall structure comprised of various concrete and steel structural systems, stucco exterior finishes, stone veneer accents, and a mixed roof system. The foundation is a combination of a spread footer and deep footing system. Indoor facilities include the bell system and access. There are no outdoor facilities specific to the Bell Tower.

Bell Tower Aerial



Bell Tower Floor Plan

3.2.5 #5 Freedom Park

Freedom Park is located to the east of the Village portion of the community in the south-west quadrant of the intersection of Village Dr. and Solivita Blvd. The park contains a softball field, tennis courts, pickle ball courts, shuffle board courts, horseshoe pits, bocci ball courts, shade structures, a restroom facility, and parking areas. The buildings are concrete masonry structures with stucco finishes. Personal property included within the existing site is part of the acquisition.

Freedom Park Aerial




3.2.6 #6 Palms Amenity Complex

The Palms Amenity Complex is located in the north-west quadrant of the intersection of Barcelona Dr. and San Clemente Ave. The complex includes a fitness building, a pool cabana building, lap pool, spa, tennis courts, pickle ball courts, bocci ball courts, patio areas, and parking areas. The building is a single story slab on grade structure comprised of various concrete and steel structural systems, stucco exterior finishes, veneer accents, a mixed roof system, and ground mounted HVAC systems. Indoor facilities include a fitness room, yogo/aerobics room, club room, multi-purpose room, restrooms, lockers, and associated support rooms and facilities. Personal property included within the existing site is part of the acquisition. Exterior facilities include sidewalks and landscaping.

Palms Amenity Complex Aerial



Palms Amenity Complex Plan



3.2.7 #7 Rainbow Lakes #1 Community Pool & Cabana

The Rainbow Lakes #1 Community Pool & Cabana is located in the southern quadrant of the intersection of Rock Springs Dr. and Lake Butler Dr. The building is a single story slab on grade concrete masonry structure with stucco exterior finishes, a hip-framed roof, and ground mounted HVAC systems. The building houses restrooms, storage, and pool equipment. Personal property included within the existing site is part of the acquisition. Exterior facilities include a wading pool, fencing, sidewalks, and landscaping.

Rainbow Lakes #1 Community Pool & Cabana Aerial



3.2.8 #8 Rainbow Lakes #2 Community Pool & Cabana

The Rainbow Lakes #2 Community Pool & Cabana is located in the southeast quadrant of the intersection of Gulf Dr. and Crystal River Dr. The building is a single story slab on grade concrete masonry structure with stucco exterior finishes, a hip-framed roof, and ground mounted HVAC systems. The building houses restrooms, storage, and pool equipment. Personal property included within the existing site is part of the acquisition. Exterior facilities include a wading pool, fencing, sidewalks, and landscaping.

Rainbow Lakes #2 Community Pool & Cabana Aerial



3.2.9 #9 Candlewood Community Pool & Cabana

The Candlewood Community Pool & Cabana is located in the northwest quadrant of the intersection of Acadia Dr. and Vineyard Way. The building is a single story slab on grade concrete masonry structure with stucco exterior finishes, a hip-framed roof, and ground mounted HVAC systems. The building houses restrooms, storage, and pool equipment. Personal property included within the existing site is part of the acquisition. Exterior facilities include a pergola, wading pool, fencing, sidewalks, and landscaping.

Candlewood Community Pool & Cabana Aerial



3.2.10 #10 Capri Community Pool & Cabana

The Capri Community Pool & Cabana is located on the west side of Bell Tower Crossing about 360 feet south of Balboa Dr. The building is a single story slab on grade concrete masonry structure with stucco exterior finishes, a hip-framed roof, and ground mounted HVAC systems. The building houses restrooms, storage, and pool equipment. Personal property included within the existing site is part of the acquisition. Exterior facilities include a wading pool, fencing, sidewalks, and landscaping.


Capri Community Pool & Cabana Aerial



3.2.11 #11 Terra Vista #1 Community Pool & Cabana

The Terra Vista #1 Community Pool & Cabana is located in the northeast quadrant of the intersection of Glendora Rd. and Augurn Dr. The building is a single story slab on grade concrete masonry structure with stucco exterior finishes, a hip-framed roof, and ground mounted HVAC systems. The building houses restrooms, storage, and pool equipment. Personal property included within the existing site is part of the acquisition. Exterior facilities include a wading pool, fencing, sidewalks, and landscaping.


Terra Vista #1 Community Pool & Cabana Aerial



3.2.12 #12 Terra Vista #2 Community Pool & Cabana

The Terra Vista #2 Community Pool & Cabana is located in the southwest quadrant of the intersection of Channel Pass and Shorehave Dr. The building is a single story slab on grade concrete masonry structure with stucco exterior finishes, a hip-framed roof, and ground mounted HVAC systems. The building houses restrooms, storage, and pool equipment. Personal property included within the existing site is part of the acquisition. Exterior facilities include a wading pool, fencing, sidewalks, and landscaping.


Terra Vista #2 Community Pool & Cabana Aerial



3.2.13 #13 Flora Vista #1 Community Pool & Cabana

The Flora Vista #1 Community Pool & Cabana is located in the northeast quadrant of the intersection of Glendora Rd. S. and Glendora Rd. N. The building is a single story slab on grade concrete masonry structure with stucco exterior finishes, a hip-framed roof, and ground mounted HVAC systems. The building houses restrooms, storage, and pool equipment. Personal property included within the existing site is part of the acquisition. Exterior facilities include a wading pool, fencing, sidewalks, and landscaping.

Flora Vista #1 Community Pool & Cabana Aerial



3.2.14 #14 Flora Vista #2 Community Pool & Cabana

The Flora Vista #2 Community Pool & Cabana is located on the southwest side of Davinci Pass close to the southern boundary of the community. The building is a single story slab on grade concrete masonry structure with stucco exterior finishes, a hip-framed roof, and ground mounted HVAC systems. The building houses restrooms, storage, and pool equipment. Personal property included within the existing site is part of the acquisition. Exterior facilities include a wading pool, fencing, sidewalks, a small cart parking area, and landscaping.

Flora Vista #2 Community Pool & Cabana Aerial



3.2.15 #15 Lago Vista Community Pool & Cabana

The Lago Vista Community Pool & Cabana is located in the southeast quadrant of the intersection of Torino Ln. and Milano Rd. The building is a single story slab on grade concrete masonry structure with stucco exterior finishes, a hip-framed roof, and ground mounted HVAC systems. The building houses restrooms, storage, and pool equipment. Personal property included within the existing site is part of the acquisition. Exterior facilities include a pergola, a wading pool, fencing, sidewalks, and landscaping. The building and pool is larger than most of the other Community Pool & Cabanas.

Lago Vista Community Pool & Cabana Aerial



3.2.16 #16 Venezia Facility

The Venezia Facility is located in the northwest and northeast quadrants of the intersection of Rialto Rd. and Grand Canal Dr. The building is a single story slab on grade concrete masonry structure with stucco exterior finishes, a hip-framed roof, and ground mounted HVAC systems. The building houses restrooms, storage, and pool equipment. Personal property included within the existing site is part of the acquisition. Exterior facilities include tennis courts, a wading pool, a spa, fencing, sidewalks, a parking area, and landscaping.

Venezia Facility Aerial



3.2.17 #17 Bella Viana Pool and Cabana

The Bella Viana Pool & Cabana is located on the south side of Sorrento Rd. at the intersection with Genoa Dr. The building is a single story slab on grade concrete masonry structure with stucco exterior finishes, a gable framed roof, and ground mounted HVAC systems. The building houses restrooms, storage, and pool equipment. Personal property included within the existing site is part of the acquisition. Exterior facilities include a wading pool, spa, fencing, sidewalks, and landscaping.

Bella Viana Pool and Cabana Aerial



3.3 POTENTIAL NEW CAPITAL FACILITIES

Two facility reconstructions and two new facilities are being considered as part of the process. The district will utilize the financing to reconstruct existing facilities and the remaining new facilities. It is anticipated not all reconstruction or new construction will be performed if sufficient bond proceeds are not raised,. The district will prioritize the components of the project once final pricing is obtained. Solivita Program Cost Data is provided in Appendix B. A copy of the Solivita Proposed Club Capital Improvements Presentation is provided in Appendix C.

These potential improvements include:

1. Reconstruct Waterfront Galleries/Café
2. Reconstruct Mosaics Restaurant & Starlight Ballroom
3. New Performing Arts Building
4. New Health and Fitness Center



Capital Improvements

REMODEL

1 Waterfront Café and Tower Bar

2 Relocated Library

3 Stonegate Grille and Salon Remodel

(by AV Homes, not included in club asset sale)


4 Mosaics Restaurant and Starlight Ballroom

NEW

5 Performing Arts Building

6 Health and Fitness Center

Village Master Plan



SOLIVITA

Proposed Club
Capital Improvements

AV Homes, Solivita, Florida

Spring 2016



3.3.1 #1 Reconstructed Waterfront Galleries/Café

As noted previously, the Waterfront Galleries/Café is located within the Village portion of the community. It is a two story building with multiple facilities inside and around the building. Improvements are planned to include a remodel of the first floor bistro, the addition of a new kitchen, a computer room, new lighting, new furniture, and new audio video systems. Additional outside improvements may also be made.

Waterfront Galleries/Café Rendering



Waterfront Galleries/Café Sample Reconstructed Floor Plan




3.3.2 #2 Reconstructed Mosaics Restaurant & Starlight Ballroom

As noted previously, the Mosaics Restaurant & Starlight Ballroom is located within the Village portion of the community. It is a two story building with multiple facilities inside and around the building. Improvements are planned to include upgrades to the restaurant interior, lighting, a Lobby Bar, remodel porch, kitchen upgrades, kitchen addition, and cosmetic finish upgrades in the ballroom.

Mosaics Restaurant & Starlight Ballroom Aerial



Mosaics Restaurant & Starlight Ballroom Sample Reconstructed Floor Plan




3.3.3 #3 New Performing Arts Building

The Performing Arts Building will be new construction located within the Village portion of the community to the east of the Mosaics Restaurant & Starlight Ballroom. The theater will seat a minimum of 500 patrons and will contain the various necessary support facilities.


New Performing Arts Building Site Aerial



New Performing Arts Building Sample Rendering



New Performing Arts Building Sample Floor Plan




3.3.4 #4 New Health and Fitness Center

The Health and Fitness Center will be new construction located within the Phase 5 portion of the community on the north side of Village Drive. The center may include a fitness building, lap pool, spa, tennis courts, Bocce courts, Pickle Ball courts, a Basketball court, Racquet/Handball court, and outdoor pavilions. The fitness building will include spinning classroom, yoga/aerobics room, fitness room, classrooms, restrooms, and lockers. Sample perspective renderings are provided in Appendix D.

New Health and Fitness Center Sample Rendering and Aerial



New Health and Fitness Center Sample Floor Plan



Section 4
ENGINEER'S CERTIFICATION

4.1 ENGINEER'S CERTIFICATION

The infrastructure improvements as detailed herein are necessary for the functional development of the District as required by the applicable independent unit of local government. The planning and design of the infrastructure is in accordance with current governmental regulatory requirements. The infrastructure will provide the intended function so long as the construction is in substantial compliance with the design and permits. The Engineer recommends that in addition to the annual non-ad valorem assessments to be levied and collected to pay debt service on the proposed bonds, the District should levy and collect an annual "Operating and Maintenance Special Assessment". Said Special Assessment is to be determined, assessed and levied by the District's Board of Supervisors upon the assessable real property within the District for the purpose of defraying the cost and expenses of maintaining District-owned improvements.

It is my professional opinion that the costs provided herein for the District's proposed infrastructure improvements are reasonable to complete the construction of the proposed infrastructure improvements described herein and that these infrastructure improvements will benefit and add value to the District as more fully detailed in the Assessment Methodology Report. All such proposed infrastructure costs are public improvements or community facilities as set forth in Section 190.012(1) and (2) of the Florida Statutes.

The estimate of infrastructure construction costs is only an estimate and not a guarantee maximum price. A portion of the costs are based on actual costs received by Avatar Properties, Inc. Where necessary, historical costs, information from other professional or utility consultants and contractors have been used in preparation of this report. Consultants and contractors who have contributed in providing the cost data included in this report are reputable entities within the area. It is therefore our opinion that the construction of the proposed Development can be completed at the stated costs.

The labor market, future costs of equipment and materials, increased regulatory actions and the actual construction process are all beyond control. Due to this inherent opportunity for fluctuation in cost, the total final cost may be more or less than this estimate.

Michael D. Dell'Isola, Jr., P.E.
State of Florida Registration No. 82733
Atkins North America

APPENDIX A – SURVEYS

Village Center Surveys

KEY MAP



NOTES:

1. This survey is not valid without the signature and original raised seal of a Florida licensed Surveyor and Mapper.
2. The land description hereon was written by this surveyor at the request of the client.
3. This survey does not identify the limits or extent of potential jurisdictional wetlands, if any exist on the subject property.
4. All bearings and distances shown hereon are correct and in agreement with the found and set monuments as measured in the field unless otherwise noted.
5. Unless otherwise noted, all record information shown hereon is based solely on information contained in the Commitment for Title Insurance by First American Title Insurance Company, File No. NCS-801396-CAST, effective date December 22, 2016 at 8:00 A.M., amended January 17, 2017 and was provided by the client.
6. Bearings shown hereon are based on the East right of way line of Solivita Boulevard at the South end of Tract C as being South 29°52'51" East, per the plat of Solivita Phase I, Plat Book 112, Pages 1-14 Polk County, Florida.
7. No underground utilities, foundations, or improvements, if any, have been located except as shown.
8. According to the National Flood Insurance Program, Flood Insurance Rate Map (FIRM) Community Panel Number 12105C0265G; effective date 09/28/2012, this property lies in Zone X and Zone AE, Base Flood Elevation 66.9'. The approximate limit of Zone X and Zone AE is the top of bank of the adjacent lakes.
9. The total area of lands described hereon is 1,030,789.8 square feet or 23.66 acres, more or less.
10. The following Parcel ID No.'s are listed for the properties surveyed, according to the Polk County Property Appraiser's online map: 28-27-14-933541-004050 (Tract E); 28-27-14-933541-004190 (Tract D); 28-27-14-933541-004080 (Tract M); 28-27-14-933541-004200 (Tract LK-B); 28-27-14-933541-004520 (Village Drive).
11. According to a Land Use Verification Letter dated September 29, 2016 the properties shown on this survey are zoned PUD 98-12.

CERTIFICATION:

Certified to: Poinciana Community Development District; AV Homes, Inc.; Avatar Properties Inc.; First American Title Insurance Company; Hopping Green & Sams; Gray Robinson, P.A.: This is to certify that this map or plat and the survey on which it is based were made in accordance with the 2016 Minimum Standard Detail Requirements for ALTA/NSPS Land Title Surveys, jointly established and adopted by ALTA and NSPS, and includes items 1-4, 6(a), 7(a), 8, 9, 11, 13, 18 and 19 of Table A thereof. The field work was completed on May 27, 2016.

Date of Plat or Map: December 29, 2016.

For the firm by: Brian K. Hefner, P.S.M.
Professional Surveyor and Mapper
Florida License No. 5370

Last Revision: 05/19/22 - Respond to attorney comments

SHEET 1 - KEY MAP, NOTES, CERTIFICATIONS
SHEET 2 AND 3 - LEGAL DESCRIPTIONS
SHEET 4 - TITLE NOTES
SHEET 5 AND 6 - SURVEY DETAIL

ALTANSPS LAND TITLE SURVEY
LOCATIONS 2, 3, 4 & 5
FOR
SOLIVITA CLUB, POLK COUNTY, FL

ORLANDO OFFICE
1101 North Lake Destiny Road, Suite 415
Maitland, Florida 32751
Phone: 877.627.3772
State of FL Certificate of Authorization: 1B7388

MASER
CONSULTING P.A.
Customer Loyalty through Client Satisfaction
www.maserconsulting.com

Sheet
1
PROJECT NO.: 16002885B

LEGAL DESCRIPTION:

A portion of Tract C, Tract LK—B and Village Drive, Solivita Phase I, as recorded in Plat Book 112, Pages 1 through 14 of the Public Records of Polk County, Florida; being more particularly described as follows:


Commence at the Northwest corner of Tract C; thence along the North line of Tract C S 72°46'36" E, a distance of 15.48 feet to the Point of Beginning; thence N 18°06'13" E, a distance of 5.99 feet to the South back of curb of Village Drive, as it exists on May 26, 2016; thence along said back of curve line the following thirteen (13) courses; thence S 72°42'14" E, a distance of 14.15 feet to a point on a non—tangent curve concave southwesterly, having a radius of 4.00 feet, a chord bearing of S 37°06'28" E, and a chord length of 4.65 feet; thence along the arc of said curve through a central angle of 71°03'10" for an arc length of 4.96 feet to the point of tangency; thence S 01°34'54" E, a distance of 5.59 feet; thence S 72°37'58" E, a distance of 22.70 feet; thence N 36°13'26" E, a distance of 4.08 feet to the point of curvature of a curve concave southerly, having a radius of 6.00 feet, a chord bearing of N 71°36'27" E, and a chord length of 6.95 feet; thence along the arc of said curve through a central angle of 70°46'01" for an arc length of 7.41 feet to the point of tangency; thence S 73°00'33" E, a distance of 35.64 feet to the point of curvature of a curve concave southwesterly, having a radius of 6.00 feet, a chord bearing of S 35°36'00" E, and a chord length of 7.29 feet; thence along the arc of said curve through a central angle of 74°49'05" for an arc length of 7.83 feet to the point of tangency; thence S 01°48'33" W, a distance of 3.83 feet; thence S 73°11'04" E, a distance of 111.01 feet to a point on a non—tangent curve concave southeasterly, having a radius of 6.00 feet, a chord bearing of N 57°00'02" E, and a chord length of 9.16 feet; thence along the arc of said curve through a central angle of 99°28'48" for an arc length of 10.42 feet to the point of tangency; thence S 73°15'38" E, a distance of 24.02 feet to the point of curvature of a curve concave southwesterly, having a radius of 6.00 feet, a chord bearing of S 28°30'56" E, and a chord length of 8.45 feet; thence along the arc of said curve through a central angle of 89°29'16" for an arc length of 9.37 feet to the boundary line of Tract C; thence along said boundary line the following seventy—six (76) courses; S 72°46'36" E, a distance of 7.65 feet to the point of curvature of a curve concave southwesterly, having a radius of 151.00 feet, a chord bearing of S 50°16'35" E, and a chord length of 115.57 feet; thence along the arc of said curve through a central angle of 45°00'03" for an arc length of 118.60 feet to the point of tangency; thence S 27°46'33" E, a distance of 78.82 feet to the point of curvature of a curve concave northeasterly, having a radius of 107.00 feet, a chord bearing of S 41°31'29" E, and a chord length of 50.86 feet; thence along the arc of said curve through a central angle of 27°29'52" for an arc length of 51.35 feet to the point of tangency; thence S 34°43'35" W, a distance of 8.00 feet; thence S 55°16'25" E, a distance of 43.94 feet to the point of curvature of a curve concave northerly, having a radius of 420.00 feet, a chord bearing of S 74°56'51" E, and a chord length of 282.80 feet; thence along the arc of said curve through a central angle of 39°20'50" for an arc length of 288.43 feet to the point of tangency; thence N 85°22'44" E, a distance of 231.84 feet to the point of curvature of a curve concave northerly, having a radius of 1174.00 feet, a chord bearing of N 80°07'57" E, and a chord length of 214.70 feet; thence along the arc of said curve through a central angle of 10°29'34" for an arc length of 215.00 feet to the point of reverse curvature of a curve concave southerly, having a radius of 748.00 feet, a chord bearing of N 82°45'09" E, and a chord length of 204.75 feet; thence along the arc of said curve through a central angle of 15°43'58" for an arc length of 205.39 feet to the point of tangency; thence S 89°22'52" E, a distance of 88.73 feet to the point of curvature of a curve concave southwesterly, having a radius of 35.00 feet, a chord bearing of S 44°49'15" E, and a chord length of 49.12 feet; thence along the arc of said curve through a central angle of 89°07'14" for an arc length of 54.44 feet to the point of reverse curvature of a curve concave easterly, having a radius of 11572.61 feet, a chord bearing of S 00°38'43" E, and a chord length of 155.41 feet; thence along the arc of said curve through a central angle of 00°46'10" for an arc length of 155.41 feet to the point of reverse curvature of a curve concave westerly, having a radius of 2512.00 feet, a chord bearing of S 01°17'16" W, and a chord length of 203.17 feet; thence along the arc of said curve through a central angle of 04°38'07" for an arc length of 203.22 feet to the point of tangency; thence N 86°13'25" W, a distance of 41.85 feet to a point on a non—tangent curve concave westerly, having a radius of 71.09 feet, a chord bearing of N 18°29'23" W, and a chord length of 32.76 feet; thence along the arc of said curve through a central angle of 26°38'34" for an arc length of 33.06 feet to the point of compound curvature of a curve concave southwesterly, having a radius of 50.00 feet, a chord bearing of N 39°19'51" W, and a chord length of 13.09 feet; thence along the arc of said curve through a central angle of 15°02'21" for an arc length of 13.12 feet to the point of compound curvature of a curve concave southerly, having a radius of 84.02 feet, a chord bearing of N 81°05'39" W, and a chord length of 94.56 feet; thence along the arc of said curve through a central angle of 68°29'15" for an arc length of 100.44 feet to the point of compound curvature of a curve concave southeasterly, having a radius of 134.63 feet, a chord bearing of S 25°49'12" W, and a chord length of 168.88 feet; thence along the arc of said curve through a central angle of 77°41'03" for an arc length of 182.54 feet to the point of reverse curvature of a curve concave westerly, having a radius of 80.79 feet, a chord bearing of S 20°58'14" W, and a chord length of 84.29 feet; thence along the arc of said curve through a central angle of 62°53'20" for an arc length of 88.68 feet to the point of tangency; thence S 55°59'35" W, a distance of 37.68 feet to a point on a non—tangent curve concave southeasterly, having a radius of 69.78 feet, a chord bearing of S 25°17'47" W, and a chord length of 73.24 feet; thence along the arc of said curve through a central angle of 63°18'31" for an arc length of 77.10 feet to the point of tangency; thence S 07°59'37" E, a distance of 164.10 feet to the point of curvature of a curve concave northeasterly, having a radius of 50.00 feet, a chord bearing of S 25°03'16" E, and a chord length of 29.34 feet; thence along the arc of said curve through a central angle of 34°07'24" for an arc length of 29.78 feet to the point of reverse curvature of a curve concave westerly, having a radius of 101.38 feet, a chord bearing of S 17°55'27" E, and a chord length of 82.94 feet; thence along the arc of said curve through a central angle of 48°17'28" for an arc length of 85.45 feet to the point of reverse curvature of a curve concave easterly, having a radius of 294.00

feet, a chord bearing of S 08°03'43" E, and a chord length of 122.00 feet; thence along the arc of said curve through a central angle of 23°56'59" for an arc length of 122.89 feet to the point of compound curvature of a curve concave northeasterly, having a radius of 69.00 feet, a chord bearing of S 40°51'50" E, and a chord length of 49.07 feet; thence along the arc of said curve through a central angle of 41°39'29" for an arc length of 50.17 feet to the point of reverse curvature of a curve concave southwesterly, having a radius of 8.00 feet, a chord bearing of S 25°23'05" E, and a chord length of 9.47 feet; thence along the arc of said curve through a central angle of 72°34'49" for an arc length of 10.13 feet to the point of tangency; thence S 10°55'18" W, a distance of 9.30 feet to the point of curvature of a curve concave northeasterly, having a radius of 25.49 feet, a chord bearing of S 34°04'42" E, and a chord length of 36.05 feet; thence along the arc of said curve through a central angle of 90°00'00" for an arc length of 40.04 feet to the point of tangency; thence S 79°04'42" E, a distance of 19.26 feet to the point of curvature of a curve concave northerly, having a radius of 25.49 feet, a chord bearing of N 55°55'18" E, and a chord length of 36.05 feet; thence along the arc of said curve through a central angle of 90°00'00" for an arc length of 40.04 feet to the point of tangency; thence N 10°55'18" E, a distance of 9.67 feet to the point of curvature of a curve concave southeasterly, having a radius of 8.00 feet, a chord bearing of N 46°03'38" E, and a chord length of 9.21 feet; thence along the arc of said curve through a central angle of 70°16'40" for an arc length of 9.81 feet to the point of reverse curvature of a curve concave northwesterly, having a radius of 58.00 feet, a chord bearing of N 43°40'11" E, and a chord length of 70.66 feet; thence along the arc of said curve through a central angle of 75°03'35" for an arc length of 75.98 feet to the point of compound curvature of a curve concave westerly, having a radius of 139.00 feet, a chord bearing of N 03°13'17" W, and a chord length of 45.22 feet; thence along the arc of said curve through a central angle of 18°43'20" for an arc length of 45.42 feet to the point of reverse curvature of a curve concave easterly, having a radius of 459.00 feet, a chord bearing of N 07°45'42" W, and a chord length of 77.15 feet; thence along the arc of said curve through a central angle of 09°38'30" for an arc length of 77.24 feet to the point of compound curvature of a curve concave easterly, having a radius of 459.00 feet, a chord bearing of N 04°45'55" E, and a chord length of 123.10 feet; thence along the arc of said curve through a central angle of 15°24'44" for an arc length of 123.47 feet to the point of tangency; thence N 09°22'10" E, a distance of 179.55 feet to a point on a non—tangent curve concave westerly, having a radius of 100.00 feet, a chord bearing of N 04°51'48" W, and a chord length of 48.04 feet; thence along the arc of said curve through a central angle of 27°47'48" for an arc length of 48.51 feet to the point of tangency; thence N 18°45'47" W, a distance of 46.28 feet to a point on a non—tangent curve concave easterly, having a radius of 98.65 feet, a chord bearing of N 05°25'46" E, and a chord length of 76.05 feet; thence along the arc of said curve through a central angle of 45°20'38" for an arc length of 78.07 feet to the point of tangency; thence N 37°40'51" E, a distance of 22.10 feet to a point on a non—tangent curve concave westerly, having a radius of 71.09 feet, a chord bearing of N 20°17'23" E, and a chord length of 32.81 feet; thence along the arc of said curve through a central angle of 26°04'49" for an arc length of 33.10 feet; thence S 86°13'25" E, a distance of 41.09 feet to a point on a non—tangent curve concave westerly, having a radius of 2512.00 feet, a chord bearing of S 08°04'58" W, and a chord length of 362.28 feet; thence along the arc of said curve through a central angle of 08°16'13" for an arc length of 362.59 feet to the point of reverse curvature of a curve concave easterly, having a radius of 615.87 feet, a chord bearing of S 05°00'06" W, and a chord length of 154.72 feet; thence along the arc of said curve through a central angle of 14°25'56" for an arc length of 155.13 feet to the point of compound curvature of a curve concave easterly, having a radius of 615.87 feet, a chord bearing of S 16°02'52" E, and a chord length of 294.50 feet; thence along the arc of said curve through a central angle of 27°39'59" for an arc length of 297.38 feet to the point of tangency; thence S 29°52'51" E, a distance of 240.43 feet to the point of curvature of a curve concave southwesterly, having a radius of 1383.00 feet, a chord bearing of S 29°32'12" E, and a chord length of 16.61 feet; thence along the arc of said curve through a central angle of 00°41'18" for an arc length of 16.61 feet; thence N 50°09'34" W, a distance of 42.99 feet; thence N 50°09'34" W, a distance of 83.32 feet; thence N 41°29'57" W, a distance of 64.75 feet; thence N 51°19'59" W, a distance of 67.92 feet; thence N 50°12'11" W, a distance of 72.10 feet; thence N 11°20'58" W, a distance of 33.90 feet; thence N 64°44'04" W, a distance of 46.63 feet; thence N 75°01'19" W, a distance of 51.56 feet; thence N 62°28'18" W, a distance of 55.60 feet; thence N 39°53'09" W, a distance of 58.26 feet; thence N 04°50'55" W, a distance of 48.23 feet; thence N 23°27'39" W, a distance of 86.87 feet; thence N 39°42'55" E, a distance of 51.60 feet; thence N 29°00'01" W, a distance of 64.13 feet; thence S 42°49'28" W, a distance of 54.60 feet; thence N 71°22'57" W, a distance of 64.27 feet; thence S 17°17'32" E, a distance of 56.36 feet; thence S 17°17'32" E, a distance of 16.44 feet; thence N 63°30'46" W, a distance of 371.35 feet; thence S 84°18'05" W, a distance of 94.49 feet; thence N 46°10'03" W, a distance of 745.80 feet; thence N 44°18'11" W, a distance of 34.66 feet; thence N 32°55'06" W, a distance of 150.92 feet to a point on a non—tangent curve concave northwesterly, having a radius of 116.47 feet, a chord bearing of N 30°07'16" E, and a chord length of 85.37 feet; thence along the arc of said curve through a central angle of 42°59'53" for an arc length of 87.40 feet to the point of compound curvature of a curve concave westerly, having a radius of 97.66 feet, a chord bearing of N 14°31'12" W, and a chord length of 76.76 feet; thence along the arc of said curve through a central angle of 46°17'02" for an arc length of 78.89 feet to the point of reverse curvature of a curve concave northeasterly, having a radius of 114.50 feet, a chord bearing of N 23°42'52" W, and a chord length of 55.20 feet; thence along the arc of said curve through a central angle of 27°53'42" for an arc length of 55.75 feet to the point of tangency; thence leaving the said boundary line of Tract C N 09°46'01" W, a distance of 105.48 feet; thence N 14°17'23" E, a distance of 75.77 feet; thence N 18°06'13" E, a distance of 17.72 feet to the Point of Beginning.

Said lands having an area of 971,169.80 square feet or 22.295 acres, more or less.

Description continued on next page

ALTANSPS LAND TITLE SURVEY
LOCATIONS 2, 3, 4 & 5
FOR
SOLIVITA CLUB, POLK COUNTY, FL



MASER
CONSULTING P.A.

ORLANDO OFFICE
1101 North Lake Destiny Road, Suite 415
Maitland, Florida 32751
Phone: 877.827.3772

State of FL Certificate of Authorization: LB7388

Customer Loyalty through Client Satisfaction
www.maserconsulting.com

Sheet

2

PROJECT NO.: 16002885B

LEGAL DESCRIPTION: Continued from previous page

TOGETHER WITH:

A portion of Tract D, Tract E and Village Drive, Solivita Phase I, as recorded in Plat Book 112, Pages 1 through 14 of the Public Records of Polk County, Florida; being more particularly described as follows:

Commence at the Southwest corner of Tract E; thence S 72°46'36" E, along the South line of Tract E a distance of 13.99 feet to the Point of Beginning; thence N 18°06'13" E, a distance of 44.22 feet; thence S 72°46'36" E, a distance of 21.93 feet; thence N 18°06'13" E, a distance of 43.52 feet; thence S 72°46'36" E, a distance of 74.73 feet to a point on a non-tangent curve concave southerly, having a radius of 68.91 feet, a chord bearing of N 70°19'22" E, and a chord length of 61.86 feet; thence along the arc of said curve through a central angle of 53°20'04" for an arc length of 64.15 feet to the point of tangency; thence S 83°00'35" E, a distance of 83.32 feet to the point of curvature of a curve concave southwesterly, having a radius of 110.00 feet, a chord bearing of S 52°00'25" E, and a chord length of 113.32 feet; thence along the arc of said curve through a central angle of 62°00'21" for an arc length of 119.04 feet to a point being on the back of curb line extended of a curb on the North side of a parking area; thence leaving said curve run along said back of curb as existing May 26, 2016 the following five (5) courses; S 62°06'30" W, a distance of 85.43 feet; thence S 27°12'43" E, a distance of 13.54 feet to the point of curvature of a curve concave westerly, having a radius of 4.00 feet, a chord bearing of S 17°35'49" W, and a chord length of 5.64 feet; thence along the arc of said curve through a central angle of 89°37'03" for an arc length of 6.26 feet to the point of tangency; thence S 62°24'20" W, a distance of 38.10 feet to the point of curvature of a curve concave northerly, having a radius of 6.00 feet, a chord bearing of S 84°45'42" W, and a chord length of 4.56 feet; thence along the arc of said curve through a central angle of 44°42'42" for an arc length of 4.68 feet to the point of tangency, said point being on the back of curb line on the Village Drive, as built in May, 2016; thence along said back of curb line the following seven (7) courses; N 72°52'57" W, a distance of 92.56 feet to the point of curvature of a curve concave northeasterly, having a radius of 4.00 feet, a chord bearing of N 35°25'40" W, and a chord length of 4.87 feet; thence along the arc of said curve through a central angle of 74°54'34" for an arc length of 5.23 feet to the point of tangency; thence N 02°01'36" E, a distance of 5.55 feet; thence N 72°42'40" W, a distance of 88.83 feet; thence S 30°24'55" W, a distance of 4.92 feet to the point of curvature of a curve concave northerly, having a radius of 4.00 feet, a chord bearing of S 68°51'53" W, and a chord length of 4.97 feet; thence along the arc of said curve through a central angle of 76°53'56" for an arc length of 5.37 feet to the point of tangency thence N 72°41'09" W, a distance of 61.66 feet; thence N 18°06'13" E, a distance of 4.49 feet to the Point of Beginning.

Said lands having an area of 34,253.89 square feet or 0.786 acres, more or less.

TOGETHER WITH:

A portion of Tract M Tract LK-B and Village Drive, Solivita Phase I, as recorded in Plat Book 112, Pages 1 through 14 of the Public Records of Polk County, Florida; being more particularly described as follows:

Commence at the Northeast corner of Tract M; thence along the North line of Tract M N 72°46'36" W, a distance of 16.96 feet to the Point of Beginning; thence S 17°22'52" W, a distance of 20.25 feet; thence S 72°51'52" W, a distance of 62.84 feet to the point of curvature of a curve concave southeasterly, having a radius of 60.00 feet, a chord bearing of S 35°06'05" W, and a chord length of 73.49 feet; thence along the arc of said curve through a central angle of 75°31'35" for an arc length of 79.09 feet to the point of tangency; thence S 02°39'43" E, a distance of 26.17 feet to the point of curvature of a curve concave northerly, having a radius of 65.00 feet, a chord bearing of S 54°09'16" W, and a chord length of 108.80 feet; thence along the arc of said curve through a central angle of 113°37'58" for an arc length of 128.91 feet to the point of reverse curvature of a curve concave southerly, having a radius of 55.00 feet, a chord bearing of S 85°55'10" W, and a chord length of 46.58 feet; thence along the arc of said curve through a central angle of 50°06'11" for an arc length of 48.10 feet to the point of reverse curvature of a curve concave northerly, having a radius of 45.00 feet, a chord bearing of S 77°38'22" W, and a chord length of 25.97 feet; thence along the arc of said curve through a central angle of 33°32'36" for an arc length of 26.34 feet to the point of compound curvature of a curve concave northeasterly, having a radius of 100.00 feet, a chord bearing of N 57°52'23" W, and a chord length of 93.02 feet; thence along the arc of said curve through a central angle of 55°25'55" for an arc length of 96.75 feet to the point of tangency; thence N 30°09'26" W, a distance of 30.43 feet to the point of curvature of a curve concave southwesterly, having a radius of 52.99 feet, a chord bearing of N 44°48'32" W, and a chord length of 26.81 feet; thence along the arc of said curve through a central angle of 29°18'13" for an arc length of 27.10 feet; thence N 17°10'24" E, a distance of 9.78 feet to the North boundary line of Tract LK-B; thence leaving said line N 17°10'24" E, a distance of 206.11 feet to the south back of curb line of Village Drive as it exists on May 26, 2016, per the aforesaid plat of Solivita Phase I thence along said back of curve line the following thirteen (13) courses; S 72°49'23" E, a distance of 150.96 feet to the point of curvature of a curve concave southwesterly, having a radius of 3.00 feet, a chord bearing of S 35°15'21" E, and a chord length of 3.66 feet; thence along the arc of said curve through a central angle of 75°08'06" for an arc length of 3.93 feet to the point of tangency; thence S 02°18'42" W, a distance of 5.89 feet; thence S 72°54'12" E, a distance of 68.18 feet; thence N 31°44'38" E, a distance of 5.48 feet to the point of curvature of a curve concave southerly, having a radius of 3.00 feet, a chord bearing of N 69°09'17" E, and a chord length of 3.65 feet; thence along the arc of said curve through a central angle of 74°49'18" for an arc length of 3.92 feet to the point of tangency; thence S 73°26'04" E, a distance of 12.20 feet to the point of curvature of a curve concave southwesterly, having a radius of 4.00 feet, a chord bearing of S 34°12'19" E, and a chord length of 5.06 feet; thence along the arc of said curve through a central angle of 78°27'30" for an arc length of 5.48 feet to the point of tangency; thence S 05°01'26" W, a distance of 4.78 feet; thence S 72°31'24" E, a distance of 67.43 feet; thence N 29°14'38" E, a distance of 5.09 feet to the point of curvature of a curve concave southerly, having a radius of 4.00 feet, a chord bearing of N 68°16'12" E, and a chord length of 5.04 feet; thence along the arc of said curve through a central angle of 78°03'08" for an arc length of 5.45 feet to the point of tangency; thence S 72°42'14" E, a distance of 15.73 feet; thence leaving the back of curb line S 17°22'52" W, a distance of 6.06 feet to the Point of Beginning.

Said lands having an area of 68,375.80 square feet or 1.570 acres, more or less.

TOGETHER WITH: Tract AC-4, Solivita Phase I, as recorded in Plat Book 112, Pages 1 through 14 of the Public Records of Polk County, Florida.

ALTANSPS LAND TITLE SURVEY
LOCATIONS 2, 3, 4 & 5
FOR
SOLIVITA CLUB, POLK COUNTY, FL



MASER

CONSULTING P.A.

ORLANDO OFFICE

1101 North Lake Destiny Road, Suite 415

Maitland, Florida 32751

Phone: 877.827.3772

State of FL Certificate of Authorization: LB7388

Customer Loyalty through Client Satisfaction

www.maserconsulting.com

Sheet

3

PROJECT NO.: 16002885B




ALTANSPS LAND TITLE SURVEY
LOCATIONS 2, 3, 4 & 5
FOR
SOLIVITA CLUB, POLK COUNTY, FL



MASER
CONSULTING P.A.


ORLANDO OFFICE
1101 North Lake Destiny Road, Suite 415
Maitland, Florida 32751
Phone: 877.827.3772
State of FL Certificate of Authorization: LB7388



CURVE	RADIUS	ARC LENGTH	CHORD LENGTH	CHORD BEARING	DELTA ANGLE
C12	71.09'	33.06'	32.76'	N18°29'23"W	26°38'34"
C13	50.00'	13.12'	13.09'	N39°19'51"W	15°02'21"
C14	84.02'	100.44'	94.56'	N81°05'39"W	68°29'15"
C15	134.63'	182.54'	168.88'	S25°49'12"W	77°41'03"
C16	80.79'	88.68'	84.29'	S20°58'14"W	62°53'20"
C17	69.78'	77.10'	73.24'	S25°17'47"W	63°18'31"
C18	50.00'	29.78'	29.34'	S25°03'16"E	34°07'24"
C19	101.38'	85.45'	82.94'	S17°55'27"E	48°17'28"
C20	294.00'	122.89'	122.00'	S08°03'43"E	23°56'59"
C21	69.00'	50.17'	49.07'	S40°51'50"E	41°39'29"
C22	8.00'	10.13'	9.47'	S25°23'05"E	72°34'49"
C23	25.49'	40.04'	36.05'	S34°04'42"E	90°00'00"
C24	25.49'	40.04'	36.05'	N55°55'18"E	90°00'00"
C25	8.00'	9.81'	9.21'	N46°03'38"E	70°16'40"
C26	58.00'	75.98'	70.66'	N43°40'11"E	75°03'35"
C27	139.00'	45.42'	45.22'	N03°13'17"W	18°43'20"
C28	459.00'	77.24'	77.15'	N07°45'42"W	9°38'30"
C29	459.00'	123.47'	123.10'	N04°45'55"E	15°24'44"
C30	100.00'	48.51'	48.04'	N04°51'48"W	27°47'48"
C31	98.65'	78.07'	76.05'	N05°25'46"E	45°20'38"
C32	71.09'	33.10'	32.81'	N20°17'23"E	26°04'49"

Palms Amenity Complex

PALMS AMENITY



LEGEND AND ABBREVIATIONS:

- U.E. = UTILITY EASEMENT
D.E. = DRAINAGE EASEMENT
P.B. = PLAT BOOK
PG. = PAGE
R/W = RIGHT-OF-WAY
S.W. = CONCRETE SIDEWALK
LB = LICENSE BUSINESS
C.M. = CONCRETE MONUMENT
● = FOUND NAIL & DISK PCP LB 7153
● = FOUND 5/8" IRON ROD LB 7153
■ = FOUND 4"x 4" CONCRETE MONUMENT PRM LB 7804

- W = WATER METER
E = ELECTRICAL BOX
S = SANITARY SEWER STUB-OUT
X = LIGHT POLE
CB = CLEAN-OUT
WV = WATER VALVE
T = TELEPHONE PEDESTAL
P = TRAFFIC SIGN
C = CABLE TELEVISION BOX

LEGAL DESCRIPTION:

TRACT A-1, SOLIVITA PHASE 7G-1, PLAT BOOK 143, PAGES 13-15, POLK COUNTY, FLORIDA

NOTES:

- Bearings shown hereon are based on the North right of way line of Barcelona Drive, as being South 87°41'27" West, per Solivita Phase 7G-1, Plat Book Book 143, Pages 13-15.
- No underground improvements or utilities have been located except as shown.
- This survey is not valid without the signature and the original raised seal of a Florida licensed Professional Surveyor and Mapper.
- This survey was performed without the benefit of a commitment of title. No search of the public records was made by Carnahan, Proctor and Cross, Inc. There may be additional documents of record affecting this property that are not shown on this survey that may be found in the public records of Polk County, Florida.

CERTIFICATION:

I hereby state that this Boundary Survey is true and correct to the best of my knowledge and belief as surveyed in the field under my direction in May, 2016, and that this Boundary Survey meets the Minimum Technical Standards for Florida Surveyors and Mappers, as set forth in Chapter 5J-17.05 of the Florida Administrative Code, pursuant to Chapter 472.027, Florida Statutes.


For the firm by: Brian K. Hefner, P.S.M.
Professional Surveyor and Mapper
Florida License No. 5370

BOUNDARY SURVEY
FOR
SOLIVITA CLUB, POLK COUNTY, FL

CARNAHAN • PROCTOR • CROSS, INC.
CONSULTING ENGINEERS • SURVEYORS • PLANNERS
700 North Wickham Road, Suite 107, Melbourne, FL 32935
PHONE: (321)241-6909 FAX: (321)241-6910
Certificate of Authorization: LB2936
www.carnahan-proctor.com

Rainbow Lakes #1 Community Pool & Cabana

RAINBOW LAKE AMENITY #1



TRACT P-A8
POND TRACT
SOLIVITA - PHASE I
PLAT BOOK 112, PAGES 1-14

LEGEND AND ABBREVIATIONS:

- U.E. = UTILITY EASEMENT
D.E. = DRAINAGE EASEMENT
P.B. = PLAT BOOK
PG. = PAGE
R/W = RIGHT-OF-WAY
S.W. = CONCRETE SIDEWALK
LB = LICENSE BUSINESS
C.M. = CONCRETE MONUMENT
● = FOUND NAIL & DISK PCP LB 7153
● = FOUND 5/8" IRON ROD LB 7153
■ = FOUND 4" x 4" CONCRETE MONUMENT PRM LB 7804

- Ⓜ = WATER METER
ⓔ = ELECTRICAL BOX
Ⓢ = SANITARY SEWER STUB-OUT
Ⓛ = LIGHT POLE
Ⓢ = CLEAN-OUT
Ⓜ = WATER VALVE
Ⓣ = TELEPHONE PEDESTAL
Ⓢ = TRAFFIC SIGN
Ⓢ = CABLE TELEVISION BOX

LEGAL DESCRIPTION:

TRACT H, SOLIVITA PHASE 1, PLAT BOOK 112, PAGES 1-14,
POLK COUNTY, FLORIDA

NOTES:

- Bearings shown hereon are based on the South right of way line of Rock Springs Drive, as being North 43°07'55" East, per Solivita Phase 1E, Plat Book Book 112, Pages 1-14.
- No underground improvements or utilities have been located except as shown.
- This survey is not valid without the signature and the original raised seal of a Florida licensed Professional Surveyor and Mapper.
- This survey was performed without the benefit of a commitment of title. No search of the public records was made by Carnahan, Proctor and Cross, Inc. There may be additional documents of record affecting this property that are not shown on this survey that may be found in the public records of Polk County, Florida.

CERTIFICATION:

I hereby state that this Boundary Survey is true and correct to the best of my knowledge and belief as surveyed in the field under my direction in May, 2016, and that this Boundary Survey meets the Minimum Technical Standards for Florida Surveyors and Mappers, as set forth in Chapter 5J-17.05 of the Florida Administrative Code, pursuant to Chapter 472.027, Florida Statutes.

For the firm by: Brian K. Hefner, P.S.M.
Professional Surveyor and Mapper
Florida License No. 5370

BOUNDARY SURVEY
FOR
SOLIVITA CLUB, POLK COUNTY, FL

CARNAHAN • PROCTOR • CROSS, INC.



CONSULTING ENGINEERS • SURVEYORS • PLANNERS

700 North Wickham Road, Suite 107, Melbourne, FL 32935

PHONE: (321)241-6909 FAX: (321)241-6910


Certificate of Authorization: LB2936

www.carnahan-proctor.com

LOCATION


10

PROJECT NO.: 150213.08



Rainbow Lakes #2 Community Pool & Cabana

RAINBOW LAKE AMENITY #2



LEGEND AND ABBREVIATIONS:

U.E. = UTILITY EASEMENT
D.E. = DRAINAGE EASEMENT
P.B. = PLAT BOOK
PG. = PAGE
R/W = RIGHT-OF-WAY
S.W. = CONCRETE SIDEWALK
LB = LICENSE BUSINESS
C.M. = CONCRETE MONUMENT
● = FOUND NAIL & DISK PCP LB 7153
● = FOUND 5/8" IRON ROD LB 7153
■ = FOUND 4"x 4" CONCRETE MONUMENT PRM LB 7804

Ⓜ = WATER METER
Ⓛ = ELECTRICAL BOX
Ⓢ = SANITARY SEWER STUB-OUT
Ⓛ = LIGHT POLE
Ⓢ = CLEAN-OUT
Ⓜ = WATER VALVE
Ⓢ = TELEPHONE PEDESTAL
Ⓢ = TRAFFIC SIGN
Ⓢ = CABLE TELEVISION BOX

LEGAL DESCRIPTION:

TRACT L, SOLIVITA PHASE 1, PLAT BOOK 112, PAGES 1-14,
POLK COUNTY, FLORIDA

NOTES:

1. Bearings shown hereon are based on the South right of way line of Gulf Drive, as being North 63°32'32" East, per Solivita Phase 1, Plat Book Book 112, Pages 1-14.
2. No underground improvements or utilities have been located except as shown.
3. This survey is not valid without the signature and the original raised seal of a Florida licensed Professional Surveyor and Mapper.
4. This survey was performed without the benefit of a commitment of title. No search of the public records was made by Carnahan, Proctor and Cross, Inc. There may be additional documents of record affecting this property that are not shown on this survey that may be found in the public records of Polk County, Florida.

CERTIFICATION:

I hereby state that this Boundary Survey is true and correct to the best of my knowledge and belief as surveyed in the field under my direction in May, 2016, and that this Boundary Survey meets the Minimum Technical Standards for Florida Surveyors and Mappers, as set forth in Chapter 5J-17.05 of the Florida Administrative Code, pursuant to Chapter 472.027, Florida Statutes.

For the firm by; Brian K. Hefner, P.S.M.
Professional Surveyor and Mapper
Florida License No. 5370

BOUNDARY SURVEY
FOR
SOLIVITA CLUB, POLK COUNTY, FL

CARNAHAN • PROCTOR • CROSS, INC.
CONSULTING ENGINEERS • SURVEYORS • PLANNERS
700 North Wickham Road, Suite 107, Melbourne, FL 32935
PHONE: (321)241-6909 FAX: (321)241-6910
Certificate of Authorization: LB2936
www.carnahan-proctor.com

LOCATION
11
PROJECT NO.: 150213.08

Candlewood Community Pool & Cabana

CANDLEWOOD AMENITY

LEGAL DESCRIPTION:

TRACT A, SOLIVITA PHASE IVB, PLAT BOOK 121, PAGES 2-6, POLK COUNTY, FLORIDA.

LESS AND EXCEPT:

BEGIN AT THE NORTHWEST CORNER OF TRACT A, SOLIVITA PHASE IVB, AS RECORDED IN PLAT BOOK 121, PAGES 2 THROUGH 6 OF THE PUBLIC RECORDS OF POLK COUNTY, FLORIDA; SAID POINT BEING ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 73.00 FEET, A CHORD BEARING OF S 71°48'40" E AND A CHORD DISTANCE OF 39.47 FEET; THENCE ALONG SAID CURVE, ALSO BEING THE RIGHT OF WAY LINE OF VINEYARD WAY PER SAID PLAT, THROUGH A CENTRAL ANGLE OF 31°22'12" FOR AN ARC DISTANCE OF 39.97 FEET; THENCE LEAVING SAID CURVE AND SAID RIGHT OF WAY LINE S 01°20'51" E, A DISTANCE OF 30.97 FEET; THENCE N 89°40'06" W, A DISTANCE OF 38.48 FEET TO THE WEST LINE OF SAID TRACT A; THENCE ALONG THE WEST LINE N 00°19'54" E, A DISTANCE OF 43.06 FEET TO THE POINT OF BEGINNING.

ALSO LESS AND EXCEPT:

COMMENCE AT THE NORTHWEST CORNER OF TRACT A, SOLIVITA PHASE IVB, AS RECORDED IN PLAT BOOK 121, PAGES 2 THROUGH 6 OF THE PUBLIC RECORDS OF POLK COUNTY, FLORIDA, SAID POINT BEING ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 73.00 FEET, A CHORD BEARING OF S 67°45'29" E AND A CHORD DISTANCE OF 49.31 FEET; THENCE ALONG SAID CURVE, ALSO BEING THE RIGHT OF WAY LINE OF VINEYARD WAY PER SAID PLAT, THROUGH A CENTRAL ANGLE OF 39°28'35" FOR AN ARC DISTANCE OF 50.30 FEET; TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 73.00 FEET, A CHORD BEARING OF S 37°23'14" E AND A CHORD DISTANCE OF 26.94 FEET; THENCE ALONG SAID CURVE, ALSO BEING THE RIGHT OF WAY LINE OF VINEYARD WAY PER SAID PLAT, THROUGH A CENTRAL ANGLE OF 21°15'56" FOR AN ARC DISTANCE OF 27.09 FEET; TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 177.00 FEET, A CHORD BEARING OF S 22°37'44" E AND A CHORD DISTANCE OF 25.47 FEET; THENCE ALONG SAID CURVE, ALSO BEING THE RIGHT OF WAY LINE OF VINEYARD WAY PER SAID PLAT, THROUGH A CENTRAL ANGLE OF 08°15'04" FOR AN ARC DISTANCE OF 25.49 FEET; TO THE CUSP OF A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 28.95.00 FEET, A CHORD BEARING OF N 30°12'59" W AND A CHORD DISTANCE OF 51.97 FEET; THENCE ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 127°41'59" FOR AN ARC DISTANCE OF 64.52 FEET TO THE POINT OF BEGINNING.

LEGEND AND ABBREVIATIONS:

- U.E. = UTILITY EASEMENT
D.E. = DRAINAGE EASEMENT
P.B. = PLAT BOOK
PG. = PAGE
R/W = RIGHT-OF-WAY
S.W. = CONCRETE SIDEWALK
LB = LICENSE BUSINESS
C.M. = CONCRETE MONUMENT
● = FOUND NAIL & DISK PCP LB 7153
● = FOUND 5/8" IRON ROD LB 7153
■ = FOUND 4"x 4" CONCRETE MONUMENT PRM LB 7804
- W = WATER METER
E = ELECTRICAL BOX
S = SANITARY SEWER STUB-OUT
L = LIGHT POLE
CD = CLEAN-OUT
WV = WATER VALVE
T = TELEPHONE PEDESTAL
P = TRAFFIC SIGN
C = CABLE TELEVISION BOX

NOTES:

- Bearings shown hereon are based on the West right of way line of Vinyard Way, as being South 11°46'53 West, per Solivita Phase IVB, Plat Book Book 121, Pages 2-6.
- No underground improvements or utilities have been located except as shown.
- This survey is not valid without the signature and the original raised seal of a Florida licensed Professional Surveyor and Mapper.
- This survey was performed witohtut the benefit of a commitment of title. No search of the public records was made by Carnahan, Proctor and Cross, Inc. There may be additional documents of record affecting this property that are not shown on this suvey that may be found in the public records of Polk County, Florida.

CERTIFICATION:

I hereby state that this Boundary Survey is true and correct to the best of my knowledge and belief as surveyed in the field under my direction in May, 2016, and that this Boundary Survey meets the Minimum Technical Standards for Florida Surveyors and Mappers, as set forth in Chapter 5J-17.05 of the Florida Administrative Code, pursuant to Chapter 472.027, Florida Statutes.

For the firm by: Brian K. Hefner, P.S.M.
Professional Surveyor and Mapper
Florida License No. 5370

BOUNDARY SURVEY
FOR
SOLIVITA CLUB, POLK COUNTY, FL


CARNAHAN • PROCTOR • CROSS, INC.
CONSULTING ENGINEERS • SURVEYORS • PLANNERS
700 North Wickham Road, Suite 107, Melbourne, FL 32935
PHONE: (321)241-6909 FAX: (321)241-6910
Certificate of Authorization: LB2936
www.carnahan-proctor.com



LOCATION


12

PROJECT NO.: 150213.08




CURVE	RADIUS	ARC LENGTH	CHORD LENGTH	CHORD BEARING	DELTA ANGLE
C1	73.00'	27.09'	26.94'	S37°23'14"E	21°15'56"
C2	73.00'	10.33'	10.32'	N52°04'23"W	8°06'22"
C3	177.00'	25.49'	25.47'	S22°37'44"E	8°15'04"
C4	177.00'	93.56'	92.47'	S03°21'39"E	30°17'05"
C5	28.95'	64.52'	51.97'	N30°12'59"W	127°41'59"

LINE	BEARING	DISTANCE
L1	N01°20'51"W	30.97'
L2	N89°40'06"W	38.48'



Capri Community Pool & Cabana

CAPRI AMENITY



LEGAL DESCRIPTION:

TRACT A, SOLIVITA PHASE 2A, PLAT BOOK 115, PAGES 9-11,
POLK COUNTY, FLORIDA

NOTES:

1. Bearings shown hereon are based on the West right of way line of Bell Tower Crossing, as being South 17°45'32" West, per Solivita Phase 2A, Plat Book Book 115, Pages 9-11.
2. No underground improvements or utilities have been located except as shown.
3. This survey is not valid without the signature and the original raised seal of a Florida licensed Professional Surveyor and Mapper.
4. This survey was performed without the benefit of a commitment of title. No search of the public records was made by Carnahan, Proctor and Cross, Inc. There may be additional documents of record affecting this property that are not shown on this survey that may be found in the public records of Polk County, Florida.

CERTIFICATION:

I hereby state that this Boundary Survey is true and correct to the best of my knowledge and belief as surveyed in the field under my direction in May, 2016, and that this Boundary Survey meets the Minimum Technical Standards for Florida Surveyors and Mappers, as set forth in Chapter 5J-17.05 of the Florida Administrative Code, pursuant to Chapter 472.027, Florida Statutes.

For the firm by; _____
Brian K. Hefner, P.S.M.
Professional Surveyor and Mapper
Florida License No. 5370

LEGEND AND ABBREVIATIONS:

- U.E. = UTILITY EASEMENT
D.E. = DRAINAGE EASEMENT
P.B. = PLAT BOOK
PG. = PAGE
R/W = RIGHT-OF-WAY
S.W. = CONCRETE SIDEWALK
LB = LICENSE BUSINESS
C.M. = CONCRETE MONUMENT
● = FOUND NAIL & DISK PCP LB 7153
● = FOUND 5/8" IRON ROD LB 7153
■ = FOUND 4"x 4" CONCRETE MONUMENT PRM LB 7804

- Ⓜ = WATER METER
ⓔ = ELECTRICAL BOX
Ⓢ = SANITARY SEWER STUB-OUT
☼ = LIGHT POLE
Ⓢ = CLEAN-OUT
Ⓜ = WATER VALVE
Ⓣ = TELEPHONE PEDESTAL
Ⓢ = TRAFFIC SIGN
Ⓢ = CABLE TELEVISION BOX

BOUNDARY SURVEY
FOR
SOLIVITA CLUB, POLK COUNTY, FL


CARNAHAN • PROCTOR • CROSS, INC.
CONSULTING ENGINEERS • SURVEYORS • PLANNERS
700 North Wickham Road, Suite 107, Melbourne, FL 32935
PHONE: (321)241-6909 FAX: (321)241-6910
Certificate of Authorization: LB2936
www.carnahan-proctor.com

LOCATION
13
PROJECT NO.: 150213.08

Terra Vista #1 Community Pool & Cabana

TERRA VISTA AMENITY #1

TRACT PD-9
POND TRACT
SOLIVITA - PHASE 2C
PLAT BOOK 118, PAGES 12-16



LEGAL DESCRIPTION:

TRACT A, SOLIVITA PHASE 2C, PLAT BOOK 118, PAGES 12-16,
POLK COUNTY, FLORIDA

NOTES:

- Bearings shown hereon are based on the North right of way line of Tract A, as being South 64°45'37" West, per Solivita Phase 2C, Plat Book Book 118, Pages 12-16.
- No underground improvements or utilities have been located except as shown.
- This survey is not valid without the signature and the original raised seal of a Florida licensed Professional Surveyor and Mapper.
- This survey was performed without the benefit of a commitment of title. No search of the public records was made by Carnahan, Proctor and Cross, Inc. There may be additional documents of record affecting this property that are not shown on this survey that may be found in the public records of Polk County, Florida.

CERTIFICATION:

I hereby state that this Boundary Survey is true and correct to the best of my knowledge and belief as surveyed in the field under my direction in May, 2016, and that this Boundary Survey meets the Minimum Technical Standards for Florida Surveyors and Mappers, as set forth in Chapter 5J-17.05 of the Florida Administrative Code, pursuant to Chapter 472.027, Florida Statutes.

LEGEND AND ABBREVIATIONS:

- U.E. = UTILITY EASEMENT
D.E. = DRAINAGE EASEMENT
P.B. = PLAT BOOK
PG. = PAGE
R/W = RIGHT-OF-WAY
S.W. = CONCRETE SIDEWALK
LB = LICENSE BUSINESS
C.M. = CONCRETE MONUMENT
● = FOUND NAIL & DISK PCP LB 7153
● = FOUND 5/8" IRON ROD LB 7153
■ = FOUND 4"x 4" CONCRETE MONUMENT PRM LB 7804

- Ⓜ = WATER METER
Ⓛ = ELECTRICAL BOX
Ⓢ = SANITARY SEWER STUB-OUT
Ⓛ = LIGHT POLE
Ⓢ = CLEAN-OUT
Ⓜ = WATER VALVE
Ⓛ = TELEPHONE PEDESTAL
Ⓢ = TRAFFIC SIGN
Ⓛ = CABLE TELEVISION BOX


For the firm by: Brian K. Hefner, P.S.M.
Professional Surveyor and Mapper
Florida License No. 5370

BOUNDARY SURVEY
FOR
SOLIVITA CLUB, POLK COUNTY, FL

CARNAHAN • PROCTOR • CROSS, INC.
CONSULTING ENGINEERS • SURVEYORS • PLANNERS
700 North Wickham Road, Suite 107, Melbourne, FL 32935
PHONE: (321)241-6909 FAX: (321)241-6910
Certificate of Authorization: LB2936
www.carnahan-proctor.com

Terra Vista #2 Community Pool & Cabana

TERRA VISTA AMENITY #2



LEGEND AND ABBREVIATIONS:

- U.E. = UTILITY EASEMENT
D.E. = DRAINAGE EASEMENT
P.B. = PLAT BOOK
PG. = PAGE
R/W = RIGHT-OF-WAY
S.W. = CONCRETE SIDEWALK
LB = LICENSE BUSINESS
C.M. = CONCRETE MONUMENT
● = FOUND NAIL & DISK PCP LB 7153
● = FOUND 5/8" IRON ROD LB 7153
■ = FOUND 4"x 4" CONCRETE MONUMENT PRM LB 7804

- Ⓜ = WATER METER
Ⓛ = ELECTRICAL BOX
Ⓢ = SANITARY SEWER STUB-OUT
Ⓛ = LIGHT POLE
Ⓢ = CLEAN-OUT
Ⓜ = WATER VALVE
Ⓢ = TELEPHONE PEDESTAL
Ⓢ = TRAFFIC SIGN
Ⓢ = CABLE TELEVISION BOX

LEGAL DESCRIPTION:

TRACT A, SOLIVITA PHASE 2D, PLAT BOOK 118, PAGES 17-20, POLK COUNTY, FLORIDA

NOTES:

- Bearings shown hereon are based on the North right of way line of Shorehaven Drive, as being South 36°31'42" West, per Solivita Phase 2D, Plat Book Book 118, Pages 17-20.
- No underground improvements or utilities have been located except as shown.
- This survey is not valid without the signature and the original raised seal of a Florida licensed Professional Surveyor and Mapper.
- This survey was performed without the benefit of a commitment of title. No search of the public records was made by Carnahan, Proctor and Cross, Inc. There may be additional documents of record affecting this property that are not shown on this survey that may be found in the public records of Polk County, Florida.

CERTIFICATION:

I hereby state that this Boundary Survey is true and correct to the best of my knowledge and belief as surveyed in the field under my direction in May, 2016, and that this Boundary Survey meets the Minimum Technical Standards for Florida Surveyors and Mappers, as set forth in Chapter 5J-17.05 of the Florida Administrative Code, pursuant to Chapter 472.027, Florida Statutes.

For the firm by: Brian K. Hefner, P.S.M.
Professional Surveyor and Mapper
Florida License No. 5370

BOUNDARY SURVEY
FOR
SOLIVITA CLUB, POLK COUNTY, FL

CARNAHAN • PROCTOR • CROSS, INC.



CONSULTING ENGINEERS • SURVEYORS • PLANNERS

700 North Wickham Road, Suite 107, Melbourne, FL 32935

PHONE: (321)241-6909 FAX: (321)241-6910

Certificate of Authorization: LB2936

www.carnahan-proctor.com


LOCATION

15

PROJECT NO.: 150213.08

Flora Vista #1 Community Pool & Cabana

FLORA VISTA AMENITY #1



LINE	BEARING	DISTANCE
L3	S82°25'57"W	16.55'
L4	S07°34'03"E	20.31'
L5	S82°25'57"W	16.55'

LEGEND AND ABBREVIATIONS:

- U.E. = UTILITY EASEMENT
D.E. = DRAINAGE EASEMENT
P.B. = PLAT BOOK
PG. = PAGE
R/W = RIGHT-OF-WAY
S.W. = CONCRETE SIDEWALK
LB = LICENSE BUSINESS
C.M. = CONCRETE MONUMENT
● = FOUND NAIL & DISK PCP LB 7153
● = FOUND 5/8" IRON ROD LB 7153
■ = FOUND 4"x 4" CONCRETE MONUMENT PRM LB 7804

- Ⓜ = WATER METER
Ⓛ = ELECTRICAL BOX
Ⓢ = SANITARY SEWER STUB-OUT
Ⓛ = LIGHT POLE
Ⓢ = CLEAN-OUT
Ⓜ = WATER VALVE
Ⓛ = TELEPHONE PEDESTAL
Ⓛ = TRAFFIC SIGN
Ⓛ = CABLE TELEVISION BOX

LEGAL DESCRIPTION:

TRACT A, SOLIVITA PHASE IVC SECTION 1, PLAT BOOK 124, PAGES 15-18, POLK COUNTY, FLORIDA.

TOGETHER WITH:

A PORTION OF TRACT LD-8, SOLIVITA PHASE IVC SECTION 2, PLAT BOOK 121, PAGES 2-6, POLK COUNTY, FLORIDA; BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF TRACT LD-8; THENCE ALONG THE WEST LINE OF TRACT LD-8 N 07°34'03" W, A DISTANCE OF 17.36 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE ALONG THE WEST LINE OF TRACT LD-8 N 07°34'03" W, A DISTANCE OF 20.31 FEET; THENCE LEAVING THE WEST LINE OF TRACT LD-8 N 82°25'57" E, A DISTANCE OF 16.55 FEET; S 07°34'03" E, A DISTANCE OF 20.31 FEET; THENCE S 82°25'57" W, A DISTANCE OF 16.55 FEET TO THE POINT OF BEGINNING.

NOTES:

- Bearings shown hereon are based on the North right of way line of Tract A, as being South 64°45'37" West, per Solivita Phase 2C, Plat Book Book 118, Pages 12-16.
- No underground improvements or utilities have been located except as shown.
- This survey is not valid without the signature and the original raised seal of a Florida licensed Professional Surveyor and Mapper.
- This survey was performed without the benefit of a commitment of title. No search of the public records was made by Carnahan, Proctor and Cross, Inc. There may be additional documents of record affecting this property that are not shown on this survey that may be found in the public records of Polk County, Florida.

CERTIFICATION:

I hereby state that this Boundary Survey is true and correct to the best of my knowledge and belief as surveyed in the field under my direction in May, 2016, and that this Boundary Survey meets the Minimum Technical Standards for Florida Surveyors and Mappers, as set forth in Chapter 5J-17.05 of the Florida Administrative Code, pursuant to Chapter 472.027, Florida Statutes.

For the firm by: Brian K. Hefner, P.S.M.
Professional Surveyor and Mapper
Florida License No. 5370

BOUNDARY SURVEY
FOR
SOLIVITA CLUB, POLK COUNTY, FL

CARNAHAN • PROCTOR • CROSS, INC.
CONSULTING ENGINEERS • SURVEYORS • PLANNERS
700 North Wickham Road, Suite 107, Melbourne, FL 32935
PHONE: (321)241-6909 FAX: (321)241-6910
Certificate of Authorization: LB2936
www.carnahan-proctor.com



LOCATION

16

PROJECT NO.: 150213.08

Flora Vista #2 Community Pool & Cabana

FLORA VISTA AMENITY #2



LEGEND AND ABBREVIATIONS:

- U.E. = UTILITY EASEMENT
D.E. = DRAINAGE EASEMENT
P.B. = PLAT BOOK
PG. = PAGE
R/W = RIGHT-OF-WAY
S.W. = CONCRETE SIDEWALK
LB = LICENSE BUSINESS
C.M. = CONCRETE MONUMENT
● = FOUND NAIL & DISK PCP LB 7153
● = FOUND 5/8" IRON ROD LB 7153
■ = FOUND 4"x 4" CONCRETE MONUMENT PRM LB 7804

- Ⓜ = WATER METER
Ⓛ = ELECTRICAL BOX
Ⓢ = SANITARY SEWER STUB-OUT
Ⓛ = LIGHT POLE
Ⓢ = CLEAN-OUT
Ⓜ = WATER VALVE
Ⓢ = TELEPHONE PEDESTAL
Ⓢ = TRAFFIC SIGN
Ⓢ = CABLE TELEVISION BOX

LEGAL DESCRIPTION:

TRACT B, SOLIVITA PHASE IVC SECTION 2, PLAT BOOK 124, PAGES 33-38, POLK COUNTY, FLORIDA.

TOGETHER WITH:

A PORTION OF TRACT C-A, SOLIVITA PHASE IVC SECTION 2, PLAT BOOK 124, PAGES 33-38, POLK COUNTY, FLORIDA BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF TRACT B, SOLIVITA PHASE IVC SECTION 2, PLAT BOOK 124, PAGES 33-38, POLK COUNTY, FLORIDA; THENCE ALONG THE SOUTH LINE OF TRACT B RUN S 81°26'56" W, A DISTANCE OF 16.32 FEET TO THE POINT OF BEGINNING; THENCE LEAVING THE SOUTH LINE OF TRACT B RUN S 08°33'04" E, A DISTANCE OF 17.66 FEET; THENCE S 86°13'58" W, A DISTANCE OF 21.49 FEET; THENCE N 08°33'04" W, A DISTANCE OF 15.87 FEET TO THE SAID SOUTH LINE OF TRACT B; THENCE ALONG THE SOUTH LINE OF TRACT B RUN N 81°26'56" E, A DISTANCE OF 21.42 FEET TO THE POINT OF BEGINNING.

NOTES:

- Bearings shown hereon are based on the South line of Tract B, as being South 81°26'56" West, per Solivita Phase IVC, Plat Book Book 124, Pages 33-38.
- No underground improvements or utilities have been located except as shown.
- This survey is not valid without the signature and the original raised seal of a Florida licensed Professional Surveyor and Mapper.
- This survey was performed without the benefit of a commitment of title. No search of the public records was made by Carnahan, Proctor and Cross, Inc. There may be additional documents of record affecting this property that are not shown on this survey that may be found in the public records of Polk County, Florida.

CERTIFICATION:

I hereby state that this Boundary Survey is true and correct to the best of my knowledge and belief as surveyed in the field under my direction in May, 2016, and that this Boundary Survey meets the Minimum Technical Standards for Florida Surveyors and Mappers, as set forth in Chapter 5J-17.05 of the Florida Administrative Code, pursuant to Chapter 472.027, Florida Statutes.

For the firm by: Brian K. Hefner, P.S.M.
Professional Surveyor and Mapper
Florida License No. 5370



BOUNDARY SURVEY
FOR
SOLIVITA CLUB, POLK COUNTY, FL

CARNAHAN • PROCTOR • CROSS, INC.
CONSULTING ENGINEERS • SURVEYORS • PLANNERS
700 North Wickham Road, Suite 107, Melbourne, FL 32935
PHONE: (321)241-6909 FAX: (321)241-6910
Certificate of Authorization: LB2936
www.carnahan-proctor.com

LOCATION
17
PROJECT NO.: 150213.08

Lago Vista Community Pool & Cabana

LAGO VISTA AMENITY



LEGEND AND ABBREVIATIONS:

- | | |
|-----------------------------------|-------------------------------|
| U.E. = UTILITY EASEMENT | (W) = WATER METER |
| D.E. = DRAINAGE EASEMENT | (E) = ELECTRICAL BOX |
| P.B. = PLAT BOOK | (S) = SANITARY SEWER STUB-OUT |
| PG. = PAGE | (L) = LIGHT POLE |
| R/W = RIGHT-OF-WAY | (CD) = CLEAN-OUT |
| S.W. = CONCRETE SIDEWALK | (WV) = WATER VALVE |
| LB = LICENSE BUSINESS | (T) = TELEPHONE PEDESTAL |
| C.M. = CONCRETE MONUMENT | (TS) = TRAFFIC SIGN |
| ● = FOUND NAIL & DISK PCP LB 7153 | (CTB) = CABLE TELEVISION BOX |
| ● = FOUND 5/8\" | |
| ■ = FOUND 4\" | |

LEGAL DESCRIPTION:

TRACT R-1, SOLIVITA PHASE 1E, PLAT BOOK 128, PAGES 27-30, POLK COUNTY, FLORIDA

NOTES:

- Bearings shown hereon are based on the North right of way line of Torino Lane, as being North 44°00'00 East, per Solivita Phase 1E, Plat Book Book 128, Pages 27-30.
- No underground improvements or utilities have been located except as shown.
- This survey is not valid without the signature and the original raised seal of a Florida licensed Professional Surveyor and Mapper.
- This survey was performed without the benefit of a commitment of title. No search of the public records was made by Carnahan, Proctor and Cross, Inc. There may be additional documents of record affecting this property that are not shown on this survey that may be found in the public records of Polk County, Florida.

CERTIFICATION:


I hereby state that this Boundary Survey is true and correct to the best of my knowledge and belief as surveyed in the field under my direction in May, 2016, and that this Boundary Survey meets the Minimum Technical Standards for Florida Surveyors and Mappers, as set forth in Chapter 5J-17.05 of the Florida Administrative Code, pursuant to Chapter 472.027, Florida Statutes.

For the firm by; Brian K. Hefner, P.S.M.
Professional Surveyor and Mapper
Florida License No. 5370

BOUNDARY SURVEY
FOR
SOLIVITA CLUB, POLK COUNTY, FL

CARNAHAN • PROCTOR • CROSS, INC.
CONSULTING ENGINEERS • SURVEYORS • PLANNERS
700 North Wickham Road, Suite 107, Melbourne, FL 32935
PHONE: (321)241-6909 FAX: (321)241-6910
Certificate of Authorization: LB2936
www.carnahan-proctor.com

Venezia Facility/Two (2) Tennis Courts, Community Pool & Cabana



VENEZIA AMENITY

LEGAL DESCRIPTION:

TRACTS A AND B, SOLIVITA PHASE IIIA, PLAT BOOK 127, PAGES 10-13, POLK COUNTY, FLORIDA

NOTES:


1. Bearings shown hereon are based on the North right of way line of San Marcos Place, as being South 82°59'11" West, per Solivita Phase IIIA, Plat Book Book 127, Pages 10-13.
2. No underground improvements or utilities have been located except as shown.
3. This survey is not valid without the signature and the original raised seal of a Florida licensed Professional Surveyor and Mapper.
4. This survey was performed without the benefit of a commitment of title. No search of the public records was made by Carnahan, Proctor and Cross, Inc. There may be additional documents of record affecting this property that are not shown on this survey that may be found in the public records of Polk County, Florida.

CERTIFICATION:

I hereby state that this Boundary Survey is true and correct to the best of my knowledge and belief as surveyed in the field under my direction in May, 2016, and that this Boundary Survey meets the Minimum Technical Standards for Florida Surveyors and Mappers, as set forth in Chapter 5J-17.05 of the Florida Administrative Code, pursuant to Chapter 472.027, Florida Statutes.

LEGEND AND ABBREVIATIONS:

- | | |
|------------------------------------------------|-------------------------------|
| U.E. = UTILITY EASEMENT | (W) = WATER METER |
| D.E. = DRAINAGE EASEMENT | (E) = ELECTRICAL BOX |
| P.B. = PLAT BOOK | (S) = SANITARY SEWER STUB-OUT |
| PG. = PAGE | (L) = LIGHT POLE |
| R/W = RIGHT-OF-WAY | (CD) = CLEAN-OUT |
| S.W. = CONCRETE SIDEWALK | (WV) = WATER VALVE |
| LB = LICENSE BUSINESS | (T) = TELEPHONE PEDESTAL |
| C.M. = CONCRETE MONUMENT | (TS) = TRAFFIC SIGN |
| ● = FOUND NAIL & DISK PCP LB 7153 | (CTB) = CABLE TELEVISION BOX |
| ● = FOUND 5/8" IRON ROD LB 7153 | |
| ■ = FOUND 4"x 4" CONCRETE MONUMENT PRM LB 7804 | |




BOUNDARY SURVEY
FOR
SOLIVITA CLUB, POLK COUNTY, FL

CARNAHAN • PROCTOR • CROSS, INC.
CONSULTING ENGINEERS • SURVEYORS • PLANNERS
700 North Wickham Road, Suite 107, Melbourne, FL 32935
PHONE: (321)241-6909 FAX: (321)241-6910
Certificate of Authorization: LB2936
www.carnahan-proctor.com

For the firm by: Brian K. Hefner, P.S.M.
Professional Surveyor and Mapper
Florida License No. 5370

Bella Vianna Pool & Cabana

BELLA VIANA AMENITY



BELLA VIANA AMENITY

LEGAL DESCRIPTION:

A portion of Tract G-2, per the plat of Solivita Phase VIA, as recorded in Plat Book 131, Pages 30-35 of the Public Records of Polk County, Florida. Said lands being more particularly described as follows:

Begin at the intersection of the West line of said Tract G-2, also being the Northeast line of Lot 1 of said Solivita Phase VIA, and the South right of way line of Sorrento Road per Solivita Phase VIA, said South right of way line being a curve concave Southerly, having a radius of 325.00 feet, a chord bearing of N 62°07'49" East and a chord distance of 149.95 feet; thence run Northeasterly along the arc of said curve, and said South right of way line, through a central angle of 26°40'34" for a distance of 151.32 feet to the point of compound curvature of a curve concave Southerly, having a radius of 195.00 feet and a chord bearing of S 84°13'37" E; thence run Southeasterly along the arc of said curve and said South right of way line, through a central angle of 40°36'34" for a distance of 138.21 feet to the intersection of the South right of way line and the West line of Lot 17 of Solivita Phase VIA; thence leaving said curve and South right of way line run along the West line of Lot 17 S 21°11'11" W, a distance of 132.74 feet; thence leaving the West line of Lot 17 run S 81°58'00" W, a distance of 134.73 feet to the aforesaid Northeast line of Lot 1; thence along the Northeast line of Lot 1 run N 44°54'08" W, a distance of 121.58 feet to the Point of Beginning.

Said lands having an area of 29,334.5 square feet or 0.673 acres, more or less.

NOTES:

1. Bearings shown hereon are based on the South line of Tract G-2, as being South 81°58'00 West, per Solivita Phase VIA, Plat Book Book 131, Pages 30-35.
2. No underground improvements or utilities have been located except as shown.
3. This survey is not valid without the signature and the original raised seal of a Florida licensed Professional Surveyor and Mapper.
4. This survey was performed without the benefit of a commitment of title. No search of the public records was made by Carnahan, Proctor and Cross, Inc. There may be additional documents of record affecting this property that are not shown on this survey that may be found in the public records of Polk County, Florida.

CERTIFICATION:


I hereby state that this Boundary Survey is true and correct to the best of my knowledge and belief as surveyed in the field under my direction in May, 2016, and that this Boundary Survey meets the Minimum Technical Standards for Florida Surveyors and Mappers, as set forth in Chapter 5J-17.05 of the Florida Administrative Code, pursuant to Chapter 472.027, Florida Statutes.

For the firm by: Brian K. Hefner, P.S.M.
Professional Surveyor and Mapper
Florida License No. 5370

LEGEND AND ABBREVIATIONS:

- U.E. = UTILITY EASEMENT
D.E. = DRAINAGE EASEMENT
P.B. = PLAT BOOK
PG. = PAGE
R/W = RIGHT-OF-WAY
S.W. = CONCRETE SIDEWALK
LB = LICENSE BUSINESS
C.M. = CONCRETE MONUMENT
● = FOUND NAIL & DISK PCP LB 7153
● = FOUND 5/8" IRON ROD LB 7153
■ = FOUND 4"x 4" CONCRETE MONUMENT PRM LB 7804

- Ⓜ = WATER METER
Ⓛ = ELECTRICAL BOX
Ⓢ = SANITARY SEWER STUB-OUT
Ⓛ = LIGHT POLE
Ⓢ = CLEAN-OUT
Ⓜ = WATER VALVE
Ⓛ = TELEPHONE PEDESTAL
Ⓛ = TRAFFIC SIGN
Ⓛ = CABLE TELEVISION BOX




BOUNDARY SURVEY
FOR
SOLIVITA CLUB, POLK COUNTY, FL

CARNAHAN • PROCTOR • CROSS, INC.
CONSULTING ENGINEERS • SURVEYORS • PLANNERS
700 North Wickham Road, Suite 107, Melbourne, FL 32935
PHONE: (321)241-6909 FAX: (321)241-6910
Certificate of Authorization: LB2936
www.carnahan-proctor.com

Solivita Club Phase 5 Proposed

PHASE 5B PROPOSED AMENITY PARCEL



NOTES:

- Bearings shown hereon are based on the North right of way line of Village Center Road, as being North 87°23'58" West, assumed per the proposed plat of Solivita Phase 5B.
- No underground improvements or utilities have been located except as shown.
- This survey is not valid without the signature and the original raised seal of a Florida licensed Professional Surveyor and Mapper.
- This survey was performed without the benefit of a commitment of title. No search of the public records was made by Carnahan, Proctor and Cross, Inc. There may be additional documents of record affecting this property that are not shown on this survey that may be found in the public records of Polk County, Florida.

LEGAL DESCRIPTION:

Tract FD-2 of the plat of Solivita Phase 5B as currently proposed as of May 25, 2016; being a portion of Poinciana Neighborhood 1 East Village 4, as recorded in Plat Book 56, Pages 25 through 31 of the Public Records of Polk County, Florida; being more particularly described as follows:

Commence at the Northwest corner of Solivita Phase 5F, as recorded in Plat Book 157, Pages 33 through 47 of the Public Records of Polk County, Florida; thence along the West line of Solivita Phase 5F run S 02°51'55" W, a distance of 10.00 feet to a point on the proposed north right of way line of Village Center Road; said point being on a non-tangent curve concave Southerly, having a radius of 805.00 feet, a chord bearing of S 82°37'59" W, and a chord length of 285.99 feet; thence along the North right of way line the following three courses; run along the arc of said curve through a central angle of 20°27'51" for an arc length of 287.52 feet to the point of compound curvature of a curve concave northerly, having a radius of 791.00 feet, a chord bearing of S 82°30'03" W, and a chord length of 277.42 feet; thence along the arc of said curve through a central angle of 20°11'58" for an arc length of 278.87 feet to the point of tangency; thence S 02°36'02" W, a distance of 55.03 feet to the Point of Beginning; thence continue along the North right of way line the following two courses; run N 87°23'58" W, a distance of 518.24 feet to the point of curvature of a curve concave northerly, having a radius of 415.00 feet, a chord bearing of N 72°16'15" W, and a chord length of 216.62 feet; thence along the arc of said curve through a central angle of 30°15'26" for an arc length of 219.16 feet to the point of compound curvature of a curve concave easterly, having a radius of 21.00 feet, a chord bearing of N 09°20'48" W, and a chord length of 31.11 feet; thence along the arc of said curve through a central angle of 95°35'30" for an arc length of 35.04 feet to the point of tangency; thence N 38°26'57" E, a distance of 251.89 feet to the point of curvature of a curve concave northwesterly, having a radius of 600.00 feet, a chord bearing of N 34°06'43" E, and a chord length of 90.75 feet; thence along the arc of said curve through a central angle of 08°40'29" for an arc length of 90.84 feet to the point of tangency; thence S 63°15'31" E, a distance of 115.14 feet; thence S 83°26'12" E, a distance of 355.67 feet; thence N 90°00'00" E, a distance of 64.45 feet; thence S 00°00'00" W, a distance of 10.93 feet to the point of curvature of a curve concave easterly, having a radius of 250.00 feet, a chord bearing of S 07°39'15" E, and a chord length of 66.60 feet; thence along the arc of said curve through a central angle of 15°18'29" for an arc length of 66.79 feet to the point of reverse curvature of a curve concave westerly, having a radius of 479.00 feet, a chord bearing of S 06°21'14" E, and a chord length of 149.11 feet; thence along the arc of said curve through a central angle of 17°54'31" for an arc length of 149.72 feet to the point of tangency; thence S 02°36'02" W, a distance of 55.03 feet to the point of curvature of a curve concave northerly, having a radius of 21.00 feet, a chord bearing of S 47°36'02" W, and a chord length of 29.70 feet; thence along the arc of said curve through a central angle of 90°00'00" for an arc length of 32.99 feet to the Point of Beginning.

Said lands having an area of 211,477.42 square feet or 4.855 acres, more or less.

CERTIFICATION:

I hereby state that this Boundary Survey is true and correct to the best of my knowledge and belief as surveyed in the field under my direction in May, 2016, and that this Boundary Survey meets the Minimum Technical Standards for Florida Surveyors and Mappers, as set forth in Chapter 5J-17.05 of the Florida Administrative Code, pursuant to Chapter 472.027, Florida Statutes.

For the firm by;

Brian K. Hefner, P.S.M.
Professional Surveyor and Mapper
Florida License No. 5370

BOUNDARY SURVEY
FOR
SOLIVITA CLUB, POLK COUNTY, FL

CARNAHAN • PROCTOR • CROSS, INC.
CONSULTING ENGINEERS • SURVEYORS • PLANNERS
700 North Wickham Road, Suite 107, Melbourne, FL 32935
PHONE: (321)241-6909 FAX: (321)241-6910
Certificate of Authorization: LB2938
www.carnahan-proctor.com

LOCATION
21
PROJECT NO.: 150213.08

Appendix B – Opinion of Costs

**Opinion of Costs
Solivita Proposed Improvements**

Facility	Approximate Cost
Proposed Performing Arts Building	\$ 6,960,000
Proposed Health and Wellness Complex (Phase 5)	\$ 3,120,000
Reconstructed Mosaics Restaurant and Starlight Ballroom	\$ 1,190,000
Reconstructed Waterfront Café and Arts and Crafts REMODEL	\$ 660,000
Sub-total	\$ 11,930,000
20% Contingency and other Soft Costs	\$ 2,386,000
Sub-total	\$ 14,316,000

1. The CDD Boards have not yet approved any specific construction or reconstruction activities.
2. It is currently proposed that \$11.2 million from the proceeds of the Special Assessment Bonds will fund the construction and/or reconstruction of all or a portion of the improvements listed above. It is anticipated that the CDD Boards will continue to refine both the components comprising the improvements to be funded with the Special Assessment Bonds and the cost estimates set forth above.

Space/Element	Units	Unit Price	Quantity	Cost
Proposed Performing Arts Building				
Lobby/Prefunction	SF	\$ 250.00	1900	\$ 475,000
Auditorium	SF	\$ 250.00	5500	\$ 1,375,000
Stage	SF	\$ 250.00	1300	\$ 325,000
Greenrooms / Storage	SF	\$ 200.00	2400	\$ 480,000
Stage Storage	SF	\$ 200.00	800	\$ 160,000
Music Practice	SF	\$ 220.00	450	\$ 99,000
General Storage	SF	\$ 200.00	450	\$ 90,000
Lifestyles offices	SF	\$ 250.00	800	\$ 200,000
Restrooms (grossing factor 25%)	SF	\$ 250.00	3400	\$ 850,000
Covered Areas	SF	\$ 220.00	3700	\$ 814,000
			Subtotal	\$ 4,868,000
		Design Soft Costs	7%	\$ 340,760
			Subtotal	\$ 5,208,760
New furniture	LS	\$ 350,000.00	1	\$ 350,000
New AV System, Sound, Lights, Curtains	LS	\$ 250,000.00	1	\$ 250,000
New food service	LS	\$ 42,000.00	1	\$ 42,000
Site Work (% of Building)	20%	\$ 1,041,752.00	1	\$ 1,041,752
			Subtotal	\$ 1,683,752
		Design Soft Costs	4%	\$ 67,350
			Subtotal	\$ 1,751,102
			TOTAL	\$ 6,959,862
Proposed Health and Wellness Complex (Phase 5)				
Lobby	SF	\$ 185.00	300	\$ 55,500
Spinning	SF	\$ 185.00	1200	\$ 222,000
Storage	SF	\$ 185.00	400	\$ 74,000
Restrooms (grossing factor)	SF	\$ 185.00		
Fitness Equipment Room	SF	\$ 185.00	2400	\$ 444,000
Aerobics Studio	SF	\$ 185.00	1500	\$ 277,500
Exercise restrooms and locker rooms (grossing factor)	SF	\$ 185.00		

Staff Office	SF	\$ 185.00	400	\$ 74,000
Grossing factor (25%)	SF	\$ 185.00	1550	\$ 286,750
Covered Areas	SF	\$ 185.00	600	\$ 111,000
Pavilion #1 (open)	SF	\$ 175.00	500	\$ 87,500
Trash Enclosure	SF	\$ 185.00	200	\$ 37,000
			Subtotal	\$ 1,669,250
Tennis Courts	EA	\$ 50,000.00	2	\$ 100,000
Pickle Ball Courts	EA	\$ 25,000.00	6	\$ 150,000
Pool Lap (1/2 olympic), 4 lanes	LS	\$ 350,000.00	1	\$ 350,000
Pool Deck	LS	\$ 175,000.00	1	\$ 175,000
Spa	LS	\$ 20,000.00	1	\$ 20,000
Parking	SP	\$ 1,500.00	150	\$ 225,000
Bocce	EA	\$ 37,500.00	2	\$ 75,000
Racquetball/Handball	EA	\$ 30,000.00	2	\$ 60,000
Landscape	LS	\$ 150,000.00	1	\$ 150,000
			Subtotal	\$ 1,305,000
		Design Soft Costs	7%	\$ 91,350
			Subtotal	\$ 3,065,600
New furniture/lockers	LS	\$ 42,500.00	1	\$ 42,500
New AV System	LS	\$ 12,000.00	1	\$ 12,000
			Subtotal	\$ 54,500
			TOTAL	\$ 3,120,100
Reconstructed Mosaics Restaurant and Starlight Ballroom				
Restaurant interior upgrades	SF	\$ 40.00	2436	\$ 97,440
Lighting upgrades	SF	\$ 10.00	4230	\$ 42,300
Lobby bar	SF	\$ 200.00	170	\$ 34,000
Remodel porch to permanent structure	SF	\$ 125.00	1623	\$ 202,875
Minor kitchen upgrades	SF	\$ 45.00	1837	\$ 82,665
Remodel area to kitchen	SF	\$ 80.00	600	\$ 48,000
New addition kitchen	SF	\$ 175.00	1000	\$ 175,000
			Subtotal	\$ 682,280
		Design Soft Costs	7%	\$ 47,760
			Subtotal	\$ 730,040
New kitchen equipment	SF	\$ 225.00	1000	\$ 225,000
New bar equipment	SF	\$ 125.00	170	\$ 21,250
Remodel food service	SF	\$ 125.00	600	\$ 75,000
New furniture upgrades	LS	\$ 33,500.00	1	\$ 33,500
New AV Sound (lights below)	LS	\$ 5,000.00	1	\$ 5,000
			Subtotal	\$ 359,750
Ballroom Remodel finishes only	SF	\$ 12.00	6350	\$ 76,200
Ornamental Lighting	LS	\$ 20,000.00	1	\$ 20,000
			Subtotal	\$ 96,200
		Soft Costs	4%	\$ 3,848
			Subtotal	\$ 100,048

				TOTAL	\$ 1,189,838
<u>Reconstructed Waterfront Café and Arts and Crafts REMODEL</u>					
1st Floor Bistro (Seating and Kitchen)	SF	\$ 60.00	2100	\$	126,000
New Kitchen	SF	\$ 175.00	700	\$	122,500
New outdoor furniture	SF	\$ 2.67	7500	\$	20,000
Computer room to Library	SF	\$ 35.00	842	\$	29,470
				Subtotal	\$ 297,970
			Design Soft Costs	7%	\$ 20,858
				Subtotal	\$ 318,828
New decorative lighting	LS	\$ 10,000.00	1	\$	10,000
New restaurant furniture	LS	\$ 30,000.00	1	\$	30,000
New kitchen equipment	SF	\$ 200.00	700	\$	140,000
New AV Sound	LS	\$ 2,500.00	1	\$	2,500
				Subtotal	\$ 182,500
			Soft Costs	4%	\$ 7,300
				Subtotal	\$ 189,800
Bell Tower Remodel	SF	\$ 195.00	400	\$	78,000
				Subtotal	\$ 78,000
			Design Soft Costs	7%	\$ 5,460
				Subtotal	\$ 83,460
New decorative lighting	LS	\$ 3,500.00	1	\$	3,500
New restaurant furniture	LS	\$ 9,000.00	1	\$	9,000
New kitchen equipment	SF	\$ 125.00	400	\$	50,000
New AV Sound	LS	\$ 2,500.00	1	\$	2,500
				Subtotal	\$ 65,000
			Soft Costs	4%	\$ 2,600
				Subtotal	\$ 67,600
				TOTAL	\$ 659,688

Appendix C – Solivita Fitness Sample Renderings



